


STATE OF UTAH
DIVISION OF OIL, GAS AND MINING



APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1. Type of Work DRILL ☒ DEEPEN ☐ PLUG BACK ☐

2. Type of Well
Oil Well ☐ Gas Well ☒ Other Coalbed Methane ☐ Single Zone ☐ Multiple Zone ☐

3. Name of Operator River Gas Corporation

4. Address of Operator 511 Energy Center Boulevard Northport, Al. 35476

5. Location of Well (Report location clearly and in accordance with any State requirements.)
At surface 2180' FEL, 1780' FSL, Sec. 5, T15S, R10E
At proposed prod. zone same

6. Unit Agreement Name Drunkards Wash UTU67921X

7. Farm or Lease Name Utah

8. Well No. 05-96

9. Field and Pool, or Wildcat Wildcat

10. Sec., T., R., M., or Blk. NW/SE Sec. 5, T15S, R10E

11. County or Parrish Carbon

12. State Ut.

13. Distance in miles and direction from nearest town or post office* 3 miles south-southwest of Price, Ut.

14. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest driz. line, if any) 860'

15. No. of acres in lease 318.81

16. No. of acres assigned to this well 160

17. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft. 1900'

18. Proposed depth 2600'

19. Rotary or cable tools Rotary

20. Elevations (Show whether DF, RT, GR, etc.) 5684' GR surveyed

21. Approx. date work will start* July 1, 1995

PROPOSED CASING AND CEMENTING PROGRAM

| Size of Hole | Size of Casing | Weight per Foot | Setting Depth | Quantity of Cement |
|--------------|----------------|-----------------|---------------|--------------------|
| 11" | 8-5/8" | 24# | 300' | 110 sx |
| 7-7/8" | 5-1/2" | 17# | 2570' | 265 sx |

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. I hereby certify that this report is true and complete to the best of my knowledge.

Signed Terry D. Burns *Terry D. Burns* Title Geologist

Date March 30, 1995

(This space for Federal or State office use)

APL NO. 43-007-30271



Approved by *JAN Matthews*
Conditions of approval, if any:

Approval Date *Leoburn Engineer*

Date 5/19/95

RANGE 10 EAST

TOWNSHIP 15 SOUTH



ENGINEER'S CERTIFICATE

I, EVAN E. HANSEN, DO HEREBY CERTIFY THAT I AM A REGISTERED LAND SURVEYOR AND PROFESSIONAL ENGINEER HOLDING CERTIFICATE NO. 145656 AS PRESCRIBED UNDER THE LAWS OF THE STATE OF UTAH. I FURTHER CERTIFY THAT I HAVE MADE A SURVEY OF THE TRACT OF GROUND SHOWN AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

Evan E. Hansen
EVAN E. HANSEN

3/25/95
DATE

NW1/4 SE1/4 SEC. 5, T 15 S, R 10 E, S.L.B. & M.

Empire Engineering

1665 E. Sagewood Rd. Price, Utah 84501

RIVER GAS OF UTAH, INC.
WELL # UTAH 05-96

Drawn By:
THK

Approved By:
EEH

Drawing No.

Date:
3-25-95

Scale:
1"=1000'

EEOG-95-11


SHEET 1 OF 2



RIVER GAS CORPORATION

511 Energy Center Blvd.
Northport, Alabama 35476
Phone (205) 759-3282
Fax (205) 759-3188

March 31, 1995



Mr. Michael Hebertson
Utah Board of Oil, Gas, and Mining
Suite 350, 3 Triad Center
355 West North Temple
Salt Lake City, Utah 84180-1203

RE: Application for Permit to Drill -
Utah 05-96, NW 1/4 of SE 1/4 of Sec. 5, T15S, R10E
S.L.B. & M., Carbon County, Utah

Dear Mr. Hebertson:

Enclosed is an original and one copy of an "Application for Permit to Drill" the well described above. Attached to the APD is the following information:


- Attachment #1 - Copy of survey plat of proposed well site
- Attachment #2 - Information regarding use of water at the site
- Attachment #3 - Schematic of B.O.P.
- Attachment #4 - Portion of topographic map indicating proposed well site
- Attachment #5 - Additional drilling information furnished according to State regulations
- Attachment #6 - Typical road cross-section
- Attachment #7 - Well location map
- Attachment #8 - Evidence of bond sent to State Lands and Forestry Division

Page Two

Also, please accept this letter as our request that all information regarding this permit be kept confidential, if said information is eligible for such consideration. This request is made in accordance with State of Utah Oil and Gas rule # R649-2-11.

Thank you for your assistance. Please feel free to contact me if you have questions.

Sincerely,



Terry D. Burns

Geologist

cc: Mr. Edward W. Bonner, Utah Department of Natural Resources
Mr. Eric Jones, BLM in Moab, Utah
Mr. Dean Nyffler, BLM in Price, Utah
Mr. Robert A. Hendricks, BLM in Salt Lake City, Utah
Mr. J.R. French, Texaco
Mr. R.A. Lamarre, Texaco
Mr. Gee Lake, Jr., Dominion Reserves



RIVER GAS CORPORATION

511 Energy Center Blvd.
Northport, Alabama 35476
Phone (205) 759-3282
Fax (205) 759-3188

May 9, 1995

MAY 15 1995

Mr. Michael Hebertson
Utah Board of Oil, Gas, and Mining
Suite 350, 3 Triad Center
Salt Lake City, Utah 84180-1203

Dear Mr. Hebertson:

The archaeological and "paleo" studies covering our area of 1995 development are complete. Please find enclosed the additions to the 10 permits that were filed around the 1st of April. If you have any questions, please give me a call.

Sincerely,

A handwritten signature in cursive script, appearing to read "Terry", written over a horizontal line.


Terry D. Burns

cc: Mr. Edward W. Bonner, S.I.T.L.A., Salt Lake City
Mr. Robert A. Hendricks, BLM in Salt Lake City

RIVER GAS CORPORATION
ATTACHMENT #2


RE: Use of Water During Drilling Operations

As stated, water which we will be using is to be purchased from the Price River Water Improvement District (Tel. 801-637-6350). This has been arranged by Mr. Michael J. Farrens, Drilling Supervisor for River Gas of Utah, Inc. He has been in contact with Mr. Phillip Palmer. Mr. Farrens has discussed this arrangement with Mark Page of the Division of Water Rights (Tel. 801-637-1303) over the telephone. The Division of Water Rights is to furnish the Oil & Gas Division with a letter of approval concerning this matter.



ATTACHMENT #4

Proposed coalbed Methane Well
NW/SE Sec. 5, T15S, R10E
Carbon County, Utah
Quad: Price Scale: 1" = 2000'
Lease: State of Utah #ML-38668



RIVER GAS CORPORATION
Additional Drilling Information

Utah 05-96

1730' FSL & 2180' FEL
Section 05, Township 15 South, Range 10 East

R649-3-4 Permitting of Wells to be Drilled, Deepened or Plugged Back

2.1 Telephone numbers for additional information:

| | |
|--------------------|----------------------|
| Steven L. Prince | (801)637-8876 Office |
| Operations Manager | (801)650-1211 Mobile |

| | |
|-----------------|----------------------|
| Fred Passarella | (801)637-8876 Office |
| Pumper | (801)650-1296 Mobile |

| | |
|-----------------|----------------------|
| Randy Nairemore | (801)637-8876 Office |
| | (801)650-1210 Mobile |

| | |
|--------------------|----------------------|
| Michael J. Farrens | (205)759-3282 Office |
| Vice President | (205)758-8535 Home |
| | (801)650-1162 Mobile |

2.2 Lease: State of Utah ML-38668

2.3 This gas well will be drilled within the Drunkards Wash Unit. The Unit No. is UTU 67921X.

2.4 Survey Plat: See Attachment #1

2.5 Water will be purchased from Price River Water Improvement District: See Attachment #2.

2.6 Drilling program.

2.6.1 The following geologic units are expected to be penetrated in the well.

| <u>Formation/Unit</u> | <u>Depth (ft)</u> |
|----------------------------|-------------------|
| Upper Mancos Shale | Surface |
| Blue Gate/Ferron Sandstone | 1450 |
| Ferron/Tununk Shale | 1710 |
| TD | 2600 |

2.6.2 The coals within the Ferron Sandstone will be the target gas and water bearing formations at approx. 1480' and 1600'. 5-1/2" 17# WC75 casing will be run and cemented with approximately 200 sacks 50/50 Pozmix cement and tail-in with 65 sacks "RFC".

2.6.3 A double gate 3000 psi BOPE will be used with a rotating head. This equipment will be tested to 2100 psi or 70% of the minimum internal yield pressure. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip. See Attachment #3 for Schematic.

2.6.4 None.

2.6.5 Mud Program:

Depth

| | | |
|----------|-------------|---|
| 0-300 | 11" hole | Drill with air, will mud-up if necessary. |
| 300-2600 | 7-7/8" hole | Drill with air. 400 psi @ 1500-1800 Scf. |


2.6.6 Logging Program:

Depth

| | |
|----------|--|
| 0-300 | Gamma Ray |
| 300-2600 | Gamma Ray, Density, Neutron porosity, Induction, Caliper |

2.6.7 We expect 1100 psi for bottom hole pressure.
No hazards are expected.

RIVER GAS CORPORATION



TYPICAL ROAD CROSS-SECTION

NOT TO SCALE

3/23/95

ATTACHMENT #6

AmSouth Bank N.A.

1900 5th Avenue North
Birmingham, Alabama 35203-2610 USA

International Department

TELEX: 6827189

Cable: AMSOUBKBHM

S.W.I.F.T. AMSB US 44

AMENDMENT NUMBER: 003
TO LETTER OF CREDIT NUMBER: S304606
DATE: DECEMBER 29, 1993

BENEFICIARY:
STATE OF UTAH, DEPARTMENT OF
NATURAL RESOURCES, DIVISION OF
STATE LANDS AND FORESTRY
#3 TRIAD CENTER SUITE 400
355 WEST TEMPLE
SALT LAKE CITY, UTAH 84100-1204


AT THE REQUEST OF RIVER GAS OF UTAH, INC.
AND FOR THE ACCOUNT OF SAME
WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER S304606
DATED DECEMBER 14, 1990
OPENED IN YOUR FAVOR AS FOLLOWS:


ACCOUNT PARTY'S ADDRESS IS NOW TO READ:
3600 WATERMELON ROAD, SUITE 204, NORTHPORT, ALABAMA 35476.

-LATEST NEGOTIATION DATE IS EXTENDED TO DECEMBER 13, 1994.

-ADD: THIS LETTER OF CREDIT WILL BE AUTOMATICALLY RENEWED
WITHOUT AMENDMENT FOR SUCCESSIVE PERIODS OF ONE (1) YEAR EACH,
UNLESS AT LEAST 60 DAYS PRIOR TO THE INITIAL EXPIRATION DATE
OR ANY SUCCESSIVE EXPIRATION DATE THE ISSUING BANK GIVES THE
BENEFICIARY NOTICE BY REGISTERED LETTER TO THE ADDRESS ABOVE
THAT THE ISSUING BANK ELECTS NOT TO HAVE THIS LETTER OF CREDIT
RENEWED FOR SUCH ADDITIONAL ONE YEAR PERIOD.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.


AUTHORIZED SIGNATURE


AUTHORIZED SIGNATURE

RIVER GAS OF UTAH, INC.
ATTACHMENT #8

AmSouth Bank N.A.

1900 5th Avenue North
Birmingham, Alabama 35203-2610 USA

International Department

TELEX: 6827189
Cable: AMSOUBKBHM
S.W.I.F.T. AMSB US 44

AMENDMENT NUMBER: 004
TO LETTER OF CREDIT NUMBER: S304606
DATE: JANUARY 24, 1995

BENEFICIARY:
STATE OF UTAH, DEPARTMENT OF
NATURAL RESOURCES, DIVISION OF
STATE LANDS AND FORESTRY
#3 TRIAD CENTER SUITE 400
355 WEST TEMPLE
SALT LAKE CITY, UTAH 84180-1204

AT THE REQUEST OF RIVER GAS OF UTAH, INC. 3600 WATERMELON ROAD
SUITE 204 NORTHPORT, ALABAMA 35476
AND FOR THE ACCOUNT OF SAME
WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER S304606
DATED DECEMBER 14, 1990
OPENED IN YOUR FAVOR AS FOLLOWS:

★ -ACCOUNT PARTY'S NAME IS NOW CHANGED TO:
RIVER GAS CORPORATION


-THE NAME OF THE ISSUING BANK IS CHANGED FROM AMSOUTH BANK N.A.
TO AMSOUTH BANK OF ALABAMA.

**REFERENCES HEREIN TO AMSOUTH BANK N.A. SHALL BE DEEMED TO REFER
TO AMSOUTH BANK OF ALABAMA.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.




AUTHORIZED SIGNATURE



SCALE: 1" = 40'

TYP. BERM



REVISED: 5-8-95

SE1/4 SEC. 5, T 15 S, R 10 E, S.L.B. & M.

Empire Engineering

1665 E. Sagewood Rd. Price, Utah 84501

RIVER GAS CORPORATION
WELL # UTAH 05-96

Drawn By:
THK

Approved By:
EEH

Drawing No.

Date:
4-15-95

Scale:
1" = 40'

EEOG-95-11
Sheet: 2 of 2

○ INDICATES 1"x2"x24" WOOD STAKE

**ADDENDUM TO APPLICATION FOR
PERMIT TO DRILL:**

MAY 15 1995

**UTAH 05-96
2180' FEL, 1780' FSL, SEC. 5, T15S, R10E**

Selected Points to be Addressed in On-site Predrill Evaluation

Drilling Program

- Point #2. Expected Depths of Water and Gas Zones - The only water and gas - bearing zones expected in the well will be from the sandstones and coals within the Ferron Sandstone member of the Mancos Shale. Expected interval: 1450-1600'. No near - surface water is expected to be encountered.
- Point #4. Cement used for surface casing will be Class "G" with 2% Calcium Chloride. Density: 15.80 lbs/gal


Surface Use Plan

Current Surface Use - Grazing permit # GP 22930 Leased to Boyd Marsing


- Point #2 Planned Access Roads - A new road will be constructed, approximately 1 mile in length, eastward from well # 06-40 (see Attachment #1)
- Point #3 Wells within 1-mile radius of proposed location - One producing gas well operated by River Gas Corporation is located < 1 mile west of proposed location (Attachment #1)
- Point #4 Location of Production Facilities and Pipelines - See Attachment #1
- Point #6 Source of Construction Material - Other than native Mancos Shale, sand and gravel will be purchased from a local construction company
- Point #7 Waste Management Plan - All drill cuttings will be diverted to pit, as well as fluids encountered. Afterwards, the fluids will be allowed to evaporate and cuttings will be buried. Also, a portable bathroom facility will be provided during drilling operations
- Point #9 Well Site Layout - The separator will be located on the "cut" side of the location

Other Observations

Archaeological/Paleontological report - see Attachment #3



ATTACHMENT #1



RIVER GAS CORP.
WELL SITE LAYOUT
215' X 150'
ATTACHMENT NO. 2

PRELIMINARY REPORT OF THE CULTURAL RESOURCE INVENTORY
FOR RIVER GAS OF UTAH'S 1995 DRILLING SEASON NEAR
PRICE, CARBON COUNTY, UTAH, ON STATE, PRIVATE AND FEDERAL

INTRODUCTION

Baseline Data, Inc., has completed a cultural and paleontological resource inventory of 32 new well locations and associated access corridors in Carbon County, for River Gas Company of Utah, Inc. The inventory was requested by Mr. Steve Prince of River Gas.

Field conditions for the inventory were excellent. Ground visibility was near 100%, hampered only by sparse native vegetation. The inventory was carried out under Utah State Project Authorization No. U95-BS-118bsp, and Federal Antiquities Permit No. 93UT576532.

The preliminary report provides information on the surveyed well locations and associated Utility Corridors. All location information has been summarized in Tables 1 and 2. The Utility Corridors may serve as access roads, water, or gas pipelines. The well locations and access corridors are found on the attached U.S.G.S. maps.

Inventory Methods

Two different methods were employed to accomplish the inventory. Access roads were flagged down the center line by River Gas prior to the inventory or followed existing roads marked on U.S.G.S. maps. A corridor approximately 20 m wide (10+ meters on each side of the center line) was examined by walking zig-zag transects, along the center of each line. Each well location is about 75 x 75 m and were examined by completing several transects over the location, spaced about 15 m apart.

Sites and isolated artifacts were plotted on a U.S.G.S. map and were noted on field recording forms. No artifacts from any of the sites were collected. Photographs were taken of the sites and field maps were drawn. None of the isolated artifacts were unique enough to be collected or photographed. Notes on the general flora, fauna and geology were completed as the survey progressed.

Table 2 Utility Corridor Location

| Utility Corridor | Beginning | End | Distance |
|------------------|---|---|----------|
| UC-1 | SE1/4 NE1/4 SE1/4 NE1/4 Sec. 36 T. 15 S. R. 9E | NW1/4 NW1/4 NE1/4 NE1/4 Sec. 1 T. 16 S. R. 9E | 2.6 km |
| UC-2 | NE1/4 SE1/4 SE1/4 NW1/4 Sec. 36 T. 15 S. R. 9E | SE1/4 SE1/4 SE1/4 NW1/4 Sec. 36 T. 15 S. R. 9E | .15 km |
| UC-3 | SE1/4 SE1/4 SW1/4 SE1/4 Sec. 17 T. 15 S. R. 10E | SE1/4 SE1/4 NW1/4 SE1/4 Sec. 17 T. 15 S. R. 10E | .42 km |
| UC-4 | SW1/4 SW1/4 SW1/4 SE1/4 Sec. 17 T. 15 S. R. 10E | SE1/4 SW1/4 NW1/4 SW1/4 Sec. 17 T. 15 S. R. 10E | .8 km |
| UC-5 | SW1/4 NW1/4 SW1/4 NW1/4 Sec. 21 T. 15 S. R. 10E | SE1/4 SW1/4 NW1/4 SW1/4 Sec. 17 T. 15 S. R. 10E | 1.5 km |
| UC-6 | SE1/4 SW1/4 NW1/4 SW1/4 Sec. 17 T. 15 S. R. 10E | SW1/4 SW1/4 NE1/4 NW1/4 Sec. 8 T. 15 S. R. 10E | 3.9 km |
| UC-7 | NW1/4 SE1/4 NW1/4 NW1/4 Sec. 17 T. 15 S. R. 10E | NE1/4 SW1/4 SW1/4 NE1/4 Sec. 17 T. 15 S. R. 10E | .75 km |
| UC-8 | SE1/4 SE1/4 NW1/4 SW1/4 Sec. 8 T. 15 S. R. 10E | SE1/4 SE1/4 NW1/4 SE1/4 Sec. 8 T. 15 S. R. 10E | .77 km |
| UC-9 | NW1/4 NW1/4 SE1/4 NE1/4 Sec. 8 T. 15 S. R. 10E | SE1/4 SE1/4 NW1/4 NW1/4 Sec. 7 T. 15 S. R. 10E | 2.5 km |
| UC-10 | SE1/4 SE1/4 NW1/4 NW1/4 Sec. 7 T. 15 S. R. 10E | SW1/4 NW1/4 NE1/4 NW1/4 Sec. 1 T. 15 S. R. 10E | 2.4 km |
| UC-11 | NW1/4 NE1/4 NW1/4 SE1/4 Sec. 6 T. 15 S. R. 10E | NE1/4 SW1/4 NW1/4 SE1/4 Sec. 5 T. 15 S. R. 10E | 1.6 km |
| UC-12 | SW1/4 SW1/4 SW1/4 SE1/4 Sec. 19 T. 14 S. R. 10E | NW1/4 NE1/4 NE1/4 NE1/4 Sec. 30 T. 14 S. R. 10E | .7 km |
| UC-13 | SW1/4 SE1/4 SW1/4 SW1/4 Sec. 18 T. 14 S. R. 10E | SW1/4 NE1/4 NW1/4 SE1/4 Sec. 13 T. 14 S. R. 9E | 1.2 km |
| UC-14 | NW1/4 NE1/4 SW1/4 SW1/4 Sec. 13 T. 14 S. R. 9E | SW1/4 NE1/4 SW1/4 SW1/4 Sec. 13 T. 14 S. R. 9E | .05 km |
| UC-15 | NE1/4 SE1/4 SW1/4 NW1/4 Sec. 13 T. 14 S. R. 9E | SE1/4 NE1/4 SW1/4 NW1/4 Sec. 13 T. 14 S. R. 9E | .09 km |
| UC-16 | NE1/4 NE1/4 SW1/4 SW1/4 Sec. 19 T. 15 S. R. 10E | NW1/4 SW1/4 SE1/4 SW1/4 Sec. 18 T. 15 S. R. 10E | 1.5 km |
| UC-17 | SE1/4 SE1/4 NW1/4 NW1/4 Sec. 19 T. 15 S. R. 10E | SW1/4 SW1/4 NE1/4 NE1/4 Sec. 24 T. 15 S. R. 9E | .85 km |
| UC-18 | SW1/4 SW1/4 NE1/4 NE1/4 Sec. 24 T. 15 S. R. 9E | NE1/4 NE1/4 NW1/4 SE1/4 Sec. 24 T. 15 S. R. 9E | .54 km |
| UC-19 | NW1/4 SE1/4 SW1/4 SW1/4 Sec. 18 T. 15 S. R. 10E | NW1/4 SE1/4 SW1/4 SW1/4 Sec. 18 T. 15 S. R. 10E | .03 km |
| UC-20 | NE1/4 SW1/4 NE1/4 NE1/4 Sec. 24 T. 15 S. R. 9E | NW1/4 SE1/4 NE1/4 NW1/4 Sec. 24 T. 15 S. R. 9E | .7 km |
| UC-21 | NW1/4 SE1/4 NE1/4 NW1/4 Sec. 23 T. 15 S. R. 9E | NW1/4 SE1/4 SE1/4 SW1/4 Sec. 14 T. 15 S. R. 9E | .36 km |
| UC-22 | NW1/4 NW1/4 SE1/4 SW1/4 Sec. 14 T. 15 S. R. 9E | NW1/4 SW1/4 NE1/4 SE1/4 Sec. 14 T. 15 S. R. 9E | 1.3 km |
| UC-23 | NW1/4 NE1/4 NW1/4 SE1/4 Sec. 19 T. 14 S. R. 9E | NE1/4 NE1/4 SW1/4 NE1/4 Sec. 19 T. 14 S. R. 9E | .45 km |
| UC-24 | SW1/4 SE1/4 SW1/4 SW1/4 Sec. 18 T. 14 S. R. 9E | SW1/4 NE1/4 SW1/4 SW1/4 Sec. 18 T. 14 S. R. 9E | .3 km |
| UC-25 | SW1/4 NW1/4 SW1/4 SW1/4 Sec. 14 T. 14 S. R. 9E | NE1/4 NE1/4 SW1/4 SW1/4 Sec. 14 T. 14 S. R. 9E | .3 km |
| UC-26 | SW1/4 NW1/4 SW1/4 SE1/4 Sec. 14 T. 14 S. R. 9E | NE1/4 NW1/4 SW1/4 SE1/4 Sec. 14 T. 14 S. R. 9E | .12 km |
| UC-27 | NW1/4 SE1/4 NE1/4 NW1/4 Sec. 22 T. 14 S. R. 9E | NW1/4 SE1/4 NE1/4 NW1/4 Sec. 22 T. 14 S. R. 9E | .03 km |
| UC-28 | SE1/4 NE1/4 NE1/4 NE1/4 Sec. 6 T. 15 S. R. 10E | SE1/4 NW1/4 NW1/4 NW1/4 Sec. 5 T. 15 S. R. 10E | .21 km |
| UC-29 | SE1/4 NW1/4 SW1/4 SW1/4 Sec. 14 T. 14 S. R. 9E | SE1/4 NW1/4 SW1/4 SW1/4 Sec. 14 T. 14 S. R. 9E | .02 km |
| TOTAL DISTANCE | | | 26.14 |

Inventory Results

Baseline recorded a total of seven new cultural resource sites and four new paleontology localities. Each is briefly summarized below.

Site 42Cb 1009 is a light scatter of historic trash found near Well No. 17-103. It is on private land in the NW1/4 NE1/4 SW1/4 SW1/4 of Section 17, T.15S R.10E. The site consists of a scatter of crushed cans, a galvanized wash tub, several fragments of porcelain dinnerware, Mason jar glass fragments, and a 1935 auto licence plate. There are no features or depth at the site. The site is not eligible for the National Register and no mitigation is recommended.

Site 42Cb 1010 is an abandoned collector ditch or irrigation system. It is found about 50 m west of Well No. 17-103 on private land. The feature is about 1.5 m wide and averages about .70 m deep. It has been breached in several locations and alluvial fill has covered the ditch in others. Greasewood growing in the ditch is more than 1 m high. It appears to be a collector system that drained water north into Miller Creek. The site is no eligible for the National Register and no mitigation is recommended.

Site 42Cb 1011 is a large scatter of trash found near Well No. 8-99 on private land. The site is on the slope of a ridge and scatters over an area of nearly 150 x 150 M in the SE1/4 SE1/4 NW1/4 SW1/4 and the NE1/4 NE1/4 SW1/4 SW1/4 of Section 8, T. 15S R.10E.. It consists of crushed cans, fragments from a wood burning stove, porcelain dinnerware, earthenware crockery, and amethyst glass fragments. There are no features or depth at the site. The site is no eligible for the National Register and no mitigation is recommended.

Site 42Cb 1012 is a light scatter of historic trash found on the east side of Well No. 5-94. It is in the NE1/4 SW1/4 NW1/4 SE1/4 of Section 5, T.15S R.10E, and is on private land. The trash consists of crushed cans, a fragment of milled wood and a single Dr. Nunn's Black Oil Healing Baslam bottle. The bottle is made from a light amethyst glass and was blown into a wood mold. The neck and cork stop were hand finished. There are no features or depth at the site. The material is in a high erosion environment and the wash the site is on is scattering artifacts south toward the Carbon Canal. The site is not eligible for the National Register and no mitigation is recommended.

Site 42Cb 1013 is a possible prehistoric camp site or storage site. It is found near Core Well No. 18-7. It is found in the SE1/4 NE1/4 SW1/4 SW1/4 of Section 18, T.14S R.9E, and is on land administered by the Bureau of land Management. The site consists of several interior secondary chert flakes, three fragments of basin metates, a possible one-handed mano and the remains of what may be a slab-lined cist. The cist area has several fragment of thin limestone slabs and discolored soil. The entire surface of the site has been impacted by chaining. The artifacts were noted in the bottom of small erosions channels. The impact from chaining has made the site difficult to evaluated for the National Register. It is suggested that the site be avoided until the site can be properly evaluated. River Gas has dropped plans for drilling this core well and the site will not be impacted by River Gas.

Site 42Cb 1014 is along Utility Corridor No. 12 in SE1/4 SW1/4 SW1/4 SE1/4 Section 19, T.14S R.10E. The site is a non-significant historic trash scatter consisting mostly of tins cans and a few fragments of milled lumber. The site covers an area of about 30 X 30 m on private land. There are no significant features or artifacts associated with this site and it is not eligible for the National Register.

Site 42Cb 1015 is located within Well Location No. 13-92 in SW1/4 NE1/4 NW1/4 SE1/4 of Section 13, T.14S R.9E. This site is a historic trash scatter covering an area of 40 x 20 m and is located on private land. The site consists of 100+ solder sealed tin cans, most of which have been knife cut. There are 80+ fragments of clear glass, two pieces of white china, 40 fragments of green glass and 40+ fragments of brown beverage bottle glass. Most of the glass is modern with some being of an undetermined age. None of the artifacts are significant and there are no features or structure associated with this site. It is not eligible for the National Register. No mitigation is recommended at the site.

Paleontological Sites- A total of four paleontological sites were noted during the inventory, two of which are sensitive, one may be and the other is not sensitive.

Site 95RG-1 is located along the east edge of the proposed Well No. 30-78 in the SW1/4 NE1/4 NE1/4 Section 30 T. 14S R. 10E. The site is found on a small rise and covers an area of about 40 X 40 on privately owned land. The site consists of invertebrate marine fossils that are sensitive enough to be avoided. The well location only needs to be moved 125 feet to the west to avoid any paleontological disturbance.


Site 95RG-2 is along Utility Corridor No. 8 just west of the proposed Well No. 8-100. The site covers an area of about 50 x 50 and is in the NE1/4 SE1/4 NW1/4 SE1/4, Section 8 T. 15S R. 10E. The site is located on State owned land. This site consists of invertebrate marine fossils that are sensitive enough to avoid. To avoid the site it is recommended that the utility corridor be bent about 70 feet north around a small ravine. This should avoid any disturbance of the paleontological site.

Site 95RG-3 was noted near a proposed Utility Corridor No. 11 just west of Well No. 5-95. The site is found on the side of a ridge in the NE1/4 SW1/4 NW1/4 SE1/4 of Section 5, T.15S R.10E. It is on private land. The site consists of invertebrate marine fossils that may be sensitive. The existing access road will be used for the utility corridor and will not disturb any of the observed fossils. No mitigation is recommended.

Site 95RG-4 is a deposit of non-sensitive marine fossils found near Well Location 36-109 Alt. The site is found along the top of a ridge in the C, N1/2 NE1/4 SW1/4 of Section 36, T. 16S R.9E. It is on land administered by the State of Utah. The site will not be impacted by the well location or access road. No mitigation is recommended for this site.

RECOMMENDATIONS

Prehistoric site 42Cb 1013 has not been evaluated for the national Register. The site surface is too disturbed to adequately assess the site. The proposed well will not be drilled and the site will not be impacted. None of the other cultural resource sites are eligible for the National Register and no mitigation is recommended for those sites. Paleontological site 95RG-1 is sensitive. It can be avoided by moving Well No. 30-78 about 125 feet to the west. Site 95RG-2 is a sensitive locality found on Utility corridor No. 8 just west of Well No. 8-100. The site can be easily avoided by moving the utility corridor about 70 m north around the edge of a small wash.



| | |
|------------------------------------|-------------------------|
| LEGEND | |
| | WELL LOCATION |
| | UTILITY CORRIDOR |
| | |
| BASELINE DATA INC. | |
| OREM, UTAH | |
| PROJECT: RIVER GAS DRILLING | |
| COUNTY: CARBON | |
| QUAD: PRICE | |
| | |
| | |
| | |

Utah 5-96
43-007-50271
Sec 5, T15S, R10E

STATE OF ALABAMA)
 : ss.
COUNTY OF TUSCALOOSA)

**AFFIDAVIT CONCERNING NOTIFICATION
TO GRAZING PERMITTEE**

JOSEPH L. STEPHENSON, being first duly sworn upon his oath,
deposes and states:

1. I am Vice President - Land of River Gas Corporation ("RGC"), an Alabama corporation duly authorized to transact business in the State of Utah, and am authorized to execute this Affidavit on behalf of said corporation.

2. As Vice President - Land, I am responsible for supervision of lease records and reviewing title records and legal opinions affecting lands where RGC proposes to conduct operations.

3. RGC owns an interest in Oil, Gas and Hydrocarbon Lease ML-38668 on which RGC proposes to drill a coalbed methane gas well named the Utah 05-96, the surface of said lands being owned by the School and Institutional Trust Lands Administration.


4. While reviewing title records associated with the above described Oil, Gas and Hydrocarbon Lease, it was noted that RGC's proposed well and its access road and associated production facilities would affect lands which were subject to Grazing Permit GP-22930 held by Boyd Marsing.

5. As evidenced by copy of letter dated February 21, 1995 attached hereto as Exhibit "A", and by this reference incorporated herein, RGC notified the above described grazing permittee of RGC's proposed activities and requested the grazing permittee to contact RGC if the proposed activity would conflict with his present use of the surface.


6. To the best of my knowledge, the grazing permittee has not contacted RGC regarding any conflict that the proposed activity has with his use of the surface.

7. The matters stated herein are true of my own knowledge, except to any matters stated herein upon information and belief, and, as to those matters, I believe them to be true.

DATED this 16th day of May, 1995.


JOSEPH L. STEPHENSON

Subscribed, sworn and acknowledged to and by Joseph L. Stephenson before me this 16th day of May, 1995.


NOTARY PUBLIC
Residing at:
1429 20th Avenue East
Tuscaloosa, AL 35404

(SEAL)

My Commission Expires: 3/8/98



RIVER GAS CORPORATION

511 Energy Center Blvd.
Northport, Alabama 35476
Phone (205) 759-3282
Fax (205) 759-3188

COPY

February 21, 1995

EXHIBIT "A"
Page 1 of 2

Mr. Boyd Marsing
P. O. Box 806
Price, UT 84501

RE: Grazing Permit-22930


Dear Mr. Marsing:

Attached is a map which shows well locations we propose to drill this year where you have a grazing permit with the State. I don't know if the proposed sites have been staked in the field yet.

We are in the process of having the wells we propose to drill surveyed. We would then submit APDs to the Division of Oil, Gas and Mining ("DOGM"). When DOGM conducts their field inspection of the proposed sites, we may have to make changes in the locations due to topography, etc. in the process of obtaining approval for the drilling permits.

This year, we hope to begin site construction work around April 1 with drilling activity starting around June 1. If this 1995 plan conflicts with your present use of the surface under your grazing permit, please contact Mr. Michael J. Farrens or Mr. Steven Prince at our office in Price. That telephone number is 637-4455. They could meet you on the property for a more detailed explanation of the proposed development.

Sincerely yours,



Joseph L. Stephenson, RLP
Vice President - Land

Enc.

cc: Mr. Edward W. Bonner, SITLA
Mr. Michael J. Farrens, RGC

PROPOSED ROAD

SCALE: 1"=2000'



STATE OF UTAH
DIVISION OF OIL, GAS & MINING (OGM)

ON-SITE PREDRILL EVALUATION AND REVIEW

OPERATOR: River Gas Corporation

WELL NO: Utah 5 - 96 LEASE NO: ML - 38668

API NUMBER: 43 - 007 - 30271 LEASE TYPE: STATE Y FEE

PROPOSED LOCATION: C O N F I D E N T I A L

SURFACE: 1780 FSL 2180 FEL

SURFACE: QTR/QTR: NW/SE SEC: 5 TWP: 15 S RNG: 10 E

BOTTOM HOLE: Same as Above

BOTTOM HOLE: QTR/QTR: SEC: TWP: RNG:

COUNTY: CARBON FIELD: CODE/NAME: 048 Drunkards Wash

GPS COORDINATES: 4477315 N 515141 E

SURFACE OWNER: State of Utah SURFACE AGREEMENT (Y/N): Y

LOCATION AND SITING:

Y Plat Y R649-2-3. Unit: UTU 67921X

Y Bond Sta Y Fee R649-3-2. General

Number: Letter of credit R649-3-3. Exception

N Potash (Y/N) UCA 40-6-6. Drilling Unit

N Oil Shale (Y/N) Cause No:

Y Water Permit City of Price Date:

N RDCC Review

ARCHEOLOGICAL AND PALEONTOLOGY SURVEY RECEIVED: (Y/N) Y

SITE PROBLEMS:

Onsite Participants: Larry Jensen-Dirt Contractor, Michael
Hebertson-DOGM, Jimmie Thompson-DOGM

Regional Setting/Topography: Northwest flank of the San Rafael
Swell and east of the central Utah thrust belt. Mancos badlands
with overlying sandstone cliffs of Mesa Verde formation. The
area is dominated by rolling hill lowlands, steep sided
moderately incised gullies, and well defined sandstone cliffs.

DRILLING PROGRAM:

1. Surface Formation and Estimated Tops/Geologic Markers

| | | |
|----------------------------|----------------|----------------|
| <u>Mancos Shale</u> | <u>Surface</u> | <u>- 1450'</u> |
| <u>Blue Gate/Ferron SS</u> | <u>1450'</u> | <u>- 1710'</u> |
| <u>Ferron/Tununk Shale</u> | <u>1710'</u> | <u>- 2600'</u> |
| <u>T.D.</u> | <u>2600'</u> | |

2. Estimated Depths of Anticipated Water, Oil, Gas or
other Mineral Bearing Zones

| | | |
|------------------|-------------------------|---------------------|
| <u>Substance</u> | <u>Formation</u> | <u>Depth</u> |
| <u>Oil/Gas</u> | <u>Blue Gate/Ferron</u> | <u>1480 - 1600'</u> |
| <u>Oil</u> | | |
| <u>Water</u> | <u>Blue Gate/Ferron</u> | <u>1480 - 1000'</u> |
| <u>Other</u> | | |

All fresh water sands encountered during drilling shall
be recorded and reported to the Division on Form 7.

3. Well Control Equipment & Testing Procedures

Double Gate 3000 PSI BOPE tested to 2100 PSI.
See Attached Diagram.

4. Proposed Casing and Cementing Program

| | | | |
|--|---------------|------------------|------------------------------------|
| <u>8 5/8</u> | <u>24#/FT</u> | <u>300'</u> | <u>110 SX CLASS G NEAT 2% CaCl</u> |
| <u>5 1/2</u> | <u>17#/FT</u> | <u>2570'</u> | <u>200 SX 50/50 POS LEAD</u> |
| | | <u>65 SX RFC</u> | <u>TAIL</u> |
| <u>ALL CEMENT WILL HAVE A 15.8 LB/GAL WEIGHT</u> | | | |

5. Mud Program and Circulating Medium - include mud
components and weights, when drilling with air also
include length and location of blooie line

| | |
|--------------------|---|
| <u>0 - 300'</u> | <u>Air or air mist, natural mud if</u> <u>necessary.</u> |
| <u>300 - 2600'</u> | <u>Air of air mist @ 400 PSI 1500 - 1800</u> <u>CFM.</u> |

6. Coring, Logging, and Testing Program

No cores will be taken from this well.

0 - 300' Gamma Ray

300 - 2600' Gamma Ray, Density, Porosity, Induction

7. Abnormal Conditions, Bottom Hole Pressures and Potential Hazards, also list anticipated lost circulation zones, abnormal temperature zones and possible hydrogen sulfide bearing zones

Bottom hole pressure will be about 1100 PSI.

No other hazards are expected.

SURFACE USE PLAN:

Current Surface Use: Cattle grazing under permit NO GP 22930.
Land is normally not in use.

Proposed Surface Disturbance: The location pad will be 215' X 200' including the pit.

1. Existing Roads

Main surface roads to the location are state road 10 and several maintained field roads south of the city of Price.

2. Planned Access Roads - include length of new road, length of existing road to be upgraded, maximum disturbed and travel surface widths, maximum grades, turnouts, surface materials, drainage, cattleguards

A new road will be constructed about 450 feet from the field road to the location. See the attached map.

3. Location of existing wells within one-mile radius of proposed location, include water, injection, producing, drilling with present status of each well
See the attached map included with the APD.

4. Location of Production Facilities and Pipelines
This well will be a field production well that will be used to delineate the field extent. the pipeline will follow the existing and proposed roads and field production facilities already exist.

5. Location and Type of Water Supply (include Division of Water Rights approval or identifying number)
Water will be purchased from an existing agreement with the City of Price

6. Source of Construction Material
Natural soils and spoil from the construction of the pad will be used. extra material and top soil will be stock piled in the berm around the edge of the location.

7. Waste Management Plan
All of the drill cuttings will be diverted to the pit along with all the drilling fluids generated while drilling. The cuttings will be buried after the pit is dry. A Porta-Potty and trash basket will be used for human and other solid wastes.

8. Ancillary Facilities
None.

9. Well Site Layout
See the attachment in the APD.

10. Surface Restoration Plans

Unless otherwise agreed to the surface will be restored to the condition as found and all cuts slopes and drainages will be re-established. The vegetation seed mixtures and methods of planting will follow the standards that are current at the time of abandonment

ENVIRONMENTAL PARAMETERS:

Affected Floodplain and/or Wetlands:

Is a 404 dredge and fill permit required? (Any activity which will change the bottom elevation of the "waters of the United States" including wetlands, natural and artificially created waters, and even some drainages may require a permit from the Army Corps of Engineers) None required.

Flora/Fauna:

Briefly describe the flora found on the proposed site and the fauna evidenced or sighted on or near the proposed location. This area serves as a minor deer and elk winter range. Some raptor species, coyote, rabbits, lizards, cattle, snakes. The vegetation is Upper Sonoran Transitional Flora and Fauna with a dominance of sagebrush and various types of grasses.

SURFACE GEOLOGY

Soil Type and Characteristics: The soils are made up of decomposed clays and sands of the Mancos Shale and the overlying Mesa Verde sandstone cliffs. The whole weathers to a light tan with gypsum flakes and small pebbles of chert.

Surface Formation & Characteristics: Light tan clay and sand about 75% clay and 25% other. Very low porosity due to the clay content but medium permeability due to the fractures and surface jointing.

Erosion/Sedimentation/Stability: This area is not highly active with water or erosion from runoff. There are many small drainages that exist and runoff is of a sheeting nature that is active during thunder storm or high water cycles.

Paleontological Potential Observed: None

RESERVE PIT

Characteristics: The reserve pit will be 50' x 50' x 10'
and will be included as part of the pad.

Lining (Site ranking form attached): No liner will be
necessary.

OTHER OBSERVATIONS

Cultural Resources/Archaeology (if proposed location is on State
land, has an archaeology clearance been obtained?): Clearance has
been completed, but not received by the division.

Comments:

J. Thompson/M. Hebertson
OGM Representative

5/10/95 10:30 am
Date and Time

STATEMENTS OF BASIS

OGM Review of Application for Permit to Drill (APD)

ENGINEERING/LOCATION and SITING:

The proposed location meets the location and siting requirements of R649-2-3. The application and proposed casing and drilling plan appear to be consistent with accepted industry standards of practice and sound engineering design. A casing design safety check is attached. Blow out prevention contingency plans are adequate. No H2S has been encountered in this area.

Signature F.R. Matthews Date May 18, 1995

GEOLOGY/GROUND WATER:

There are no USDW's in the area. The proposed casing and cement proram will adequately protect any ground water.

Signature D. Jarvis Date 5/15/95

SURFACE:

The onsite investigation was conducted on 5/10/95. The Division met with a representative from River Gas of Utah. The location construction was discussed. Empire Engineering from Price, Utah has surveyed the proposed location. Cut and fill diagrams and a location plat were provided. There are no major drainages through the location. One minor drainage will be diverted around the location. A Pit lining evaluation was conducted, and it was determined a pit liner was not necessary. Construction of the location should cause no adverse environmental issues.

Signature J. Thompson/M. Hebertson Date 5/10/95

STIPULATIONS for APD Approval:

1. The access road to the location will be re-routed and will run in a north-south direction from the existing field road.

ATTACHMENTS:

Picture #'s 10,11,12,13

**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

| Site-Specific Factors | Ranking Score | Final Ranking Score |
|---|--------------------------------------|---------------------|
| Distance to Groundwater (feet) >200 100 to 200 75 to 100 25 to 75 <25 or recharge area | 0 5 10 15 20 | 0 |
| Distance to Surf. Water (feet) >1000 300 to 1000 200 to 300 100 to 200 < 100 | 0 2 10 15 20 | 0 |
| Distance to Nearest Municipal Well (feet) >5280 1320 to 5280 500 to 1320 <500 | 0 5 10 20 | 0 |
| Distance to Other Wells (feet) >1320 300 to 1320 <300 | 0 10 20 | 0 |
| Native Soil Type Low permeability Mod. permeability High permeability | 0 10 20 | 10 |
| Fluid Type Air/mist Fresh Water TDS >5000 and <10000 TDS >10000 or Oil Base Mud Fluid containing significant levels of hazardous constituents | 0 5 10 15 20 | 0 |

| | | |
|---|-------------------|----|
| Drill Cuttings Normal Rock Salt or detrimental | 0 10 | 0 |
| Annual Precipitation (inches) <10 10 to 20 >20 | 0 5 10 | 2 |
| Affected Populations <10 10 to 30 30 to 50 >50 | 0 6 8 10 | 0 |
| Presence of Nearby Utility Conduits Not Present Unknown Present | 0 10 15 | 0 |
| Final Score | | 12 |

The summation of all of the above ranking scores will yield one value which shall be used to determine the appropriate type of containment, on a case-by-case basis. The sensitivity levels are as follows:

Level I Sensitivity: For scores totaling >20
Level II Sensitivity: For scores totaling 15 to 19
Level III Sensitivity: For scores totaling <15

Containment Requirements According to Sensitivity Level

Level I: Requires total containment by synthetic liner, concrete structure or other type of total containment structure or material.



Level II: Bentonite or other compatible lining is discretionary depending on the fluid to be contained and environmental sensitivity.

Level III: No specific lining requirements.

OTHER GUIDELINES FOR PITS

1. Unlined pits shall not be constructed on areas of fill materials.
2. A pit shall not be constructed in a drainages or floodplain of flowing or intermittent streams.
3. Synthetic liners used for lining reserve pits, shall be of 12 mil thickness or greater and shall be compatible with the fluid to be contained. Synthetic liners used for lining onsite pits with a longer expected life shall be a minimum of 30 mil thickness or as approved by the Division.
4. Synthetic liners shall be installed over smooth fill material which is free of pockets, loose rocks or other materials which could damage the liner.
5. Monitoring systems for pits or closed mud systems may be required for drilling in sensitive areas.

RIVER GAS CORP
COAL GAS DEVELOPMENT
SEC. 5, 8, 17, T 15 S, R 9 E
CARBON COUNTY





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

May 19, 1995

River Gas Corporation
511 Energy Center Boulevard
Northport, Alabama 35476

Re: Utah 5-96 Well, 1780' FSL, 2180' FEL, NW SE, Sec. 5, T. 15 S., R. 10 E., Carbon
County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30271.

Sincerely,

R. J. Firth
Associate Director

ldc

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Salt Lake District Office

WAPD



Operator: River Gas Corporation

Well Name & Number: Utah 5-96

API Number: 43-007-30271

Lease: State ML-38668

Location: NW SE Sec. 5 T. 15 S. R. 10 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.


Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Onsite Inspection

Compliance with the requirements and stipulations of the On-site Predrill Evaluation and Review.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING3. Lease Designation and Serial No.
ML-38668

5. Indian, Allottee or Tribe Name

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. Type of Well

Oil Well ☐Gas Well ☒

Other Coalbed Methane

Single Zone ☐Multiple Zone ☐

2. Name of Operator

River Gas Corporation

3. Address of Operator

511 Energy Center Boulevard Northport, Al. 35476

4. Location of Well (Report location clearly and in accordance with any State requirements.)

At surface 2180' FEL, 1780' FSL, Sec. 5, T15S, R10E

At proposed prod. zone

same

14. Distance in miles and direction from nearest town or post office*

3 miles south-southwest of Price, Ut.

15. Distance from proposed*

location to nearest property or lease line, ft. (Also to nearest drilg. line, if any)

860'

16. No. of acres in lease

318.81

17. No. of acres assigned to this well

160

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

1900'

19. Proposed depth

2600'

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DP, RT, GR, etc.)

5684' GR surveyed

22. Approx. date work will start*

July 1, 1995

23.

PROPOSED CASING AND CEMENTING PROGRAM

| Size of Hole | Size of Casing | Weight per Foot | Setting Depth | Quantity of Cement |
|--------------|----------------|-----------------|---------------|--------------------|
| 11" | 8-5/8" | 24# | 300' | 110 sx |
| 7-7/8" | 5-1/2" | 17# | 2570' | 265 sx |

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout prevention program, if any.

24. I hereby certify that this report is true and complete to the best of my knowledge.

Signed Terry D. Burns *Terry D. Burns* Title Geologist

Date March 30, 1995

(This space for Federal or State office use)

43-007-30271

Approval Date

Approved by **ACCEPTED**Branch of Fluid Minerals
North District


MAY 26 1995

Conditions of approval, if any:

*See Instructions On Reverse Side

RANGE 10 EAST

TOWNSHIP 15 SOUTH

**BASIS OF ELEVATION**

OF 5633 AS INDICATED IN THE
NW1/4 OF SECTION 5, T 15 S,
R 10 E, S.L.B. & M. AS SHOWN ON
THE PRICE QUADRANGLE 7.5
MINUTE SERIES MAP.


RIVER GAS OF UTAH, INC.
WELL # UTAH 05-96
SET 5/8"x24" REBAR
ELEV. 5684

LEGEND

- FOUND BRASS CAP
- SEARCHED FOR BUT NOT FOUND
- ◊ FOUND ROCK CORNER

BASIS OF BEARING

BASIS OF BEARING N 0°48'27" W MEASURED
BETWEEN THE W1/4 CORNER AND THE NW CORNER
OF SECTION 5, TOWNSHIP 15 SOUTH, RANGE 10
EAST, SALT LAKE BASE AND MERIDIAN.

**ENGINEER'S CERTIFICATE**

I, EVAN E. HANSEN, DO HEREBY CERTIFY THAT I AM A
REGISTERED LAND SURVEYOR AND PROFESSIONAL ENGINEER
HOLDING CERTIFICATE NO. 145656 AS PRESCRIBED UNDER
THE LAWS OF THE STATE OF UTAH. I FURTHER CERTIFY
THAT I HAVE MADE A SURVEY OF THE TRACT OF GROUND
SHOWN AND THAT IT IS TRUE AND CORRECT TO THE BEST
OF MY KNOWLEDGE.

Evan E. Hansen
EVAN E. HANSEN

3/25/95
DATE

NW1/4 SE1/4 SEC. 5, T 15 S, R 10 E, S.L.B. & M.

Empire Engineering

1665 E. Sagewood Rd. Price, Utah 84501

RIVER GAS OF UTAH, INC.
WELL # UTAH 05-96

Drawn By:
THK

Approved By:
EEH

Drawing No.

Date:
3-25-95

Scale:
1"=1000'

EEOG-95-11

SHEET 1 OF 2

DIVISION OF OIL, GAS AND MINING

CONFIDENTIAL

SPUDDING INFORMATION

Name of Company: RIVER GAS CORP.

Well Name: UTAH 5-96

Api No. 43-007-30271

Section 5 Township 15S Range 10E County CARBON

Drilling Contractor PENSE BROS.

Rig # 11

SPUDDED: Date 10/27/95

Time

How ROTARY

Drilling will commence

Reported by GREG MUELLER

Telephone #

Date: 10/30/95 SIGNED: FRM

ENTITY ACTION FORM - FORM 6

OPERATOR River Gas Corporation
ADDRESS 511 Energy Center Blvd
Northport, AL 35476

OPERATOR ACCT. NO. N 1605


| ACTION CODE | CURRENT ENTITY NO. | NEW ENTITY NO. | API NUMBER | WELL NAME | WELL LOCATION | | | | | SPUD DATE | EFFECTIVE DATE |
|---|--------------------|----------------|--------------|-----------|---------------|----|-----|-----|--------|-----------|----------------|
| | | | | | QQ | SC | TP | RG | COUNTY | | |
| B | 11256 | → | 43-007-30271 | Utah 5-96 | NW/SE | 5 | 15S | 10E | Carbon | 10/27/95 | |
| WELL 1 COMMENTS: <i>Entity added 11-6-95. fee</i> | | | | | | | | | | | |
| | | | | | | | | | | | |
| WELL 2 COMMENTS: | | | | | | | | | | | |
| | | | | | | | | | | | |
| WELL 3 COMMENTS: | | | | | | | | | | | |
| | | | | | | | | | | | |
| WELL 4 COMMENTS: | | | | | | | | | | | |
| | | | | | | | | | | | |
| WELL 5 COMMENTS: | | | | | | | | | | | |
| | | | | | | | | | | | |

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)



Dennis Plowman
Signature Dennis Plowman

Reservoir Technician 10/31/95
Title Date

Phone No. (205) 759-3282

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT—for such proposals

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

Drunkards Wash Unit UTU67921X

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other (specify) Coalbed Methane

9. Well Name and Number

Utah 5-96

2. Name of Operator

River Gas Corporation

10. API Well Number

43-007-30271

3. Address of Operator

511 Energy Center Blvd. Northport, AL 35476

4. Telephone Number

(205) 759-3282

11. Field and Pool, or Wildcat

5. Location of Well

Footage : 1780' FSL & 2180 FEL

County : Carbon

CC. Sec. T., R., M. : NW/SE, Sec 5, T15S, R10E

State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

Approximate Date Work Will Start

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other Weekly Progress Report | |

Date of Work Completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CONFIDENTIAL

SEE ATTACHED

14. I hereby certify that the foregoing is true and correct.

Name & Signature Dennis Plowman

Title Reservoir Technician Date 11/6/95

(State Use Only)

DAILY WELL REPORT

NOV 13 1995

RIVER GAS CORPORATION

UTAH 5-96

1780' FSL & 2180' FEL

NW/4 OF SE/4, SEC 5, T15S, R10E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5684'

API #: 43-007-30271

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 1

10/27/95

Day 1. Present Operation: Drilling Surface Hole. Current Depth: 310'. Depth drilled in 24 hrs: 310'. Drilling fluid: Air, 250PSI, & 2000 cfm. drilled 14' w/#1 14-3/4" Tricone bit in 1 hr. drilled 14' to 310' w/#2 11" Hammer bit in 4 hrs. Total rotating hrs: 5. Spud Well 12:30am, 10/27/95. Set 1 jnt 12-3/4" P.E. Conductor Csg @ 14' in 14-3/4" conductor borehole.

11/01/95

Day 2. Present Operation: Drilling. Current Depth: 1495'. Depth drilled in 24 hrs: 1185'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 14' to 335' w/#2 11" Hammer bit in 1 hr. drilled 335' w/#3 7-7/8" Hammer bit in 10 hrs. Total rotating hrs: 16 hrs. Plug DN 9:30am 10/27/95. Set 10 jnts 8-5/8" Surface Csg @ 317.40' in 11" Surface borehole using 135 sks Class G + 2% S-1 + 1/4#/sk D-29.

11/01/95

Day 3. Present Operation: Done-Rig Released. Current Depth: 1825' Depth drilled in 24 hrs: 330'. Drilling fluid: Air, 350 PSI, & 1700 cfm. drilled 335' to 1825' w/#3 7-7/8" Hammer bit in 5 hrs. Total rotating hrs: 24 hrs. TD 11:45am 10/28/95, 1825'. Deviation Survey 1 deg-500', 3 deg-1000', & 2 deg-1500'. Ran density, gamma, caliper, & neutron logs Logger TD: 1784'.

11/01/95

10/29/95-Set 41 jnts 5-1/2" Production Csg @ 1752.79' in 7-7/8 production borehole using 120 sks 50/50 POZ + 8% D-20 + D-44 + 2% S-1 & 65 sks 10-1 REC.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

26 1995

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other Coalbed methane

2. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESTR. ☐ Other _____

3. NAME OF OPERATOR

River Gas Corporation (205) 759-3282

4. ADDRESS OF OPERATOR

511 Energy Center Blvd. Northport, AL 35476

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1780' FSL & 2180' FEL (NW/4 of SE/4)

At top prod. interval reported below same

At total depth same

6. LEASE DESIGNATION AND SERIAL NO.

ML-38668

7. IF INDIAN, ALLOTTEE OR TRIBE NAME

8. UNIT AGREEMENT NAME

Drunkards Wash UTU67921X

9. FARM OR LEASE NAME

Utah

10. WELL NO.

05-96

11. FIELD AND POOL, OR WILDCAT

12. SEC. T. R. M., OR BLOCK AND SURVEY OR AREA

NWSE, Sec 5, T15S, R10E

13. API NO.

43-007-30271

DATE ISSUED

05/19/95

14. COUNTY

Carbon

15. STATE

UT

16. DATE SPUDDED

10/27/95

17. DATE T.D. REACHED

10/28/95

18. DATE COMPL. (Ready to prod.)

12/04/95 (Plug & Abd.)

19. ELEVATIONS (OF, RES. AT, CR, ETC.)

5684' GR

20. ELEV. CASINGHEAD

21. TOTAL DEPTH, MD & TVD

1825'

22. PLUG BACK T.D., MD & TVD

23. IF MULTIPLE COMPL. HOW MANY

24. INTERVALS DRILLED BY

to TD

25. ROTARY TOOLS

to TD

26. CABLE TOOLS

27. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)

1306-10, 1332-38, 1342-46, 1358-62, 1372-78, 1394-96, 1400-04, 1422-28,

1434-40, 1446-50, 1454-58, 14 64-68

28. WAS DIRECTIONAL SURVEY MADE

NO

29. TYPE ELECTRIC AND OTHER LOGS RUN

Density, neutron, gamma, dual induction

30. WAS WELL CORED YES ☐ NO ☒ (Submit analysis)
DRILL STEM TEST YES ☐ NO ☒ (See reverse side)

31. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|---|---------------|
| 12-3/4" | | 14' | 14-3/4" | conductor | |
| 8-5/8" | | 317.4' | 11" | 135sx class G, 2% S-1, 1/4#1sk D-29 | |
| 5-1/2" | | 1752.8' | 7-7/8" | 120sx 50/50 Poz 8% D-20, 10% D-44, 2% S-1 | |
| | | | | 65sx 10-1 RFG | |

32. LINER RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT | SCREEN (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|------|----------|-------------|--------------|-------------|------|----------------|-----------------|
| | | | | | | | |
| | | | | | | | |

33. PERFORATION RECORD (If multiple, size and number)

- 1) 1306-10, 1332-38, 1342-46
- 2) 1358-62, 1372-78, 1394-96, 1400-04
- 3) 1422-28, 1434-40, 1446-50, 1454-58, 1464-68

34. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED |
|---------------------|----------------------------------|
| 1) 10,000#20/40 | 62,520# 12/20; 25,345 gal fluid |
| 2) 10,000#20/40 | 66,800# 12/20; 26,810 gal fluid |
| 3) 10,000#20/40 | 60,000# 12/20; 26,114 gal fluid |

35. PRODUCTION

| DATE FIRST PRODUCTION | | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) | | | | | WELL STATUS (Producing or shut-in) | |
|-----------------------|-----------------|--|-------------------------|----------|------------|-------------------------|------------------------------------|--|
| 12/12/95 | | | | | | | Producing | |
| DATE OF TEST | HOURS TESTED | CHOKER SIZE | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF. | WATER—BBL. | GAS-OIL RATIO | |
| 12/12/95 | 24 | --- | → | --- | 6 | 279 | --- | |
| FLOW, TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL—BBL. | GAS—MCF. | WATER—BBL. | OIL GRAVITY-API (CORR.) | | |
| | | → | | | 6 | 279 | | |

36. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

Steve Prince

37. LIST OF ATTACHMENTS

38. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Dennis Plowman

TITLE Reservoir Technician

DATE

12/18/95

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in Item 22, and in item 24 show the producing interval, or interval(s), bottom(s), top(s), and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

| 37. SUMMARY OF POROUS ZONES: | | | 38. GEOLOGIC MARKERS | | | |
|---|------|--------|-----------------------------|---------------------------|-------------|------------------|
| Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. | | | | | | |
| Formation | Top | Bottom | Description, contents, etc. | Name | Meas. Depth | True Vert. Depth |
| Ferron | 1300 | 1450 | Sandstone & coal | Blue Gate Bentonite | 1163 | |
| | | | | Lower Blue Gate Bentonite | 1225 | |

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

8. Unit or Communitization Agreement

Drunkards Wash Unit UTU67921X

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other (specify) Coalbed Methane

9. Well Name and Number

Utah 5-96

2. Name of Operator
River Gas Corporation

10. API Well Number

43-007-30271

3. Address of Operator
511 Energy Center Blvd. Northport, AL 35476

4. Telephone Number
(205) 759-3282

11. Field and Pool, or Wildcat

5. Location of Well
Footage : 1780' FSL & 2180 FEL
CC, Sec. T., R., M. : NW/SE, Sec 5, T15S, R10E

County : Carbon

State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

Approximate Date Work Will Start

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other | Weekly Progress Report |

Date of Work Completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED

CONFIDENTIAL

14. I hereby certify that the foregoing is true and correct.

Name & Signature Dennis Plowman *Dennis Plowman*

Title Reservoir Technician Date 01/11/96

(State Use Only)

RIVER GAS CORPORATION

UTAH 5-96

1780' FSL & 2180' FEL

NW/4 OF SE/4, SEC 5, T15S, R10E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5684'

API #: 43-007-30271

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 2

12/4/95

11/7/95-RU Ross's & floor. PU & RIH w/retrieving head & 36 jnts tbg. tagged sand @ 1096'. NU S.H. & HU pump lines. wash DN thru sand w/8 jnts tbg + 4' latch onto top plug, circulate well clean. POOH w/4' + 44 jnts tbg. ND S.H., break off plug. RIH w/retrieving head. 44 jnts tbg, NU S.H., had to stop & pump DN Csg to kill well while TIH. Wash DN thru sand w/2 jnts tbg + 2' latch onto bottom plug @ 1414', circulate clean. POOH w/ 2' + 46 jnts tbg, ND S.H., & kill well. break out plug. SDFN. leave well flowing. **Daily Costs: \$1841.00. Cumulative Costs: \$106916.56.** 11/8/95-HU pump lines. kill well w/40 bbls brine wtr. RIH w/notched collar & 46 jnts tbg. PU & RIH w/6 jnts tbg. tagged sand @ 1597', NU S.H., & wash DN thru sand w/5 jnts tbg to 1755' circulate well clean. POOH & LD 17 jnts tbg & notched collar. pump 40 bbls brine DN Csg to kill well. ND S.H. PU & RIH w/ 1 jnt tbg. Halliburton PKR. 1 jnt tbg. SN. 41 jnts tbg. MU hanger & land tbg w/PKR set w/8,000 compression @ 1291'. bottom of tbg @ 1326'. RD floor, ND BOP's, NU wellhead, & RU lubricator. make 1 swab run, well started to flow. RD lubricator. PU pump lines & tbg equip. RD Service unit. **Daily Costs: \$1850.00. Cumulative Costs: \$108766.56.**

12/29/95

12/6/95-RU Ross's SDFN. **Daily Costs: \$125.00. Cumulative Costs: \$ 108891.56.** 12/7/95-HU pump lines & pump 30 bbls Brine DN Tbg to kill well. ND wellhead, NU BOP's, & RU floor. PU on Tbg, release PKR & remove hanger. POOH w/41 jnts tbg S.N. 1 jnt tbg Halliburton PKR. 1 jnt tbg. RIH w/taped bull plug, 1 jnt tbg, 4' perf sub. S.N. 51 jnts tbg. MU hanger & land tbg w/SN @ 1583' & EOT @ 1619'. RD floor, ND BOP's, & Nu wellhead. change over to rod equip. PU & RIH w/2-1/2" x 2" x 16' THD pump, 36-3/4" rods, 25-7/8" rods, 1-8' 1-6' & 1-2' 7/8" pony rods, & 1-1/4" x 22' polish rod. space out & clamp rods off. PU pump lines & tbg equip. RD Service unit. **Daily Costs: \$1217.50. Cumulative Costs: \$110109.06.**

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages:

1780' FSL, 2180' FEL

QQ, Sec., T., R., M.: NW/SE, SEC. 05, T15S, R10E, SLB&M

5. Lease Designation and Serial Number:

ML38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

WILDCAT

County: CARBON

State: UTAH

11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****NOTICE OF INTENT**

(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start

SUBSEQUENT REPORT

(Submit Original Form Only)


- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Chemical Treatment | |

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low pH fluid on 03/17/97.



13.

Name & Signature: Jerry H. Dietz

Title:

Production Engineer

Date:

04/02/97

(This space for state use only)

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages:

1780' FSL, 2180' FEL

QQ, Sec., T., R., M.:

NW/SE, SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

ML38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU-67921X - Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Wildcat

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**NOTICE OF INTENT**
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ Chemical Treatment | |

Date of work completion _____


Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low pH fluid on 09/18/97.

13.

Name & Signature: Jerry H. Dietz



Title: Field Supervisor/Engineer

Date: 10/05/97

(This space for state use only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages:

1780' FSL, 2180' FEL

QQ, Sec., T., R., M.:

NW/SE SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU-67921X - Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input checked="" type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ | |

Date of work completion _____ Chemical Treatment

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7% HCL on 05/07/98.

13.

Name & Signature: Jerry H. Dietz

Title: Field Superintendent/Engineer

Date: 05/13/98

(This space for state use only)

WTC
RHK
11-8-98

ORIGINAL ~~**CONFIDENTIAL**~~
STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 1780' FSL, 2180' FEL

QQ, Sec., T., R., M.: NW/SE SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU-67921X - Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****NOTICE OF INTENT**
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical/Flush Treatment</u> | |


Date of work completion October 14, 1998

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7% HCL on 10/14/98.



13.

Name & Signature: Jerry H. DietzTitle: Field Superintendent/EngineerDate: 10/22/98

(This space for state use only)

DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 1780' FSL, 2180' FEL

QQ, Sec., T., R., M.: NW/SE SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

ML - 38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ | Chemical/Flush Treatment |

Date of work completion 10/28/99

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 10/28/99.


RECEIVED

DEC - 6 1999

DIVISION OF OIL, GAS & MINING

13.

Name & Signature: Rochelle Crabtree



Title: Administrative Assistant - Production Date: 11/11/99

(This space for state use only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL
COPY

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 1780' FSL, 2180' FEL

QQ, Sec., T., R., M.: NW/SE SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

ML - 38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ | Chemical/Flush Treatment |

Date of work completion 10/28/99

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 10/28/99.

RECEIVED

DEC 17 1999

DIVISION OF OIL, GAS & MINING

13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title: Administrative Assistant - Production Date: 11/11/99

(This space for state use only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals

1 Type of Well: OIL ☐ GAS ☒ OTHER:

2 Name of Operator:

River Gas Corporation

3 Address and
Telephone Number:

6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (435) 613-9777

4 Location of Well
Footages:

QQ, Sec., T., R., M.:

SLB & M

County: Carbon County

State: Utah

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|---|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Change of Operator</u> | |
| Approximate date work will start _____ | |

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
| Date of work completion _____ | |

Report results of Multiple Completions and Recompletions to different reservoirs on WELL
COMPLETION OR RECOMPLETION REPORT AND LOG form

* Must be accompanied by a cement verification report

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that River Gas Corporation is transferring ownership of the attached list of wells to Phillips Petroleum Company 9780 Mt. Pyramid Court, Englewood, CO 80112.

Please direct all correspondence and reports to: Phillips Petroleum Company P.O. Box 3368, Englewood, CO 80155-3368.

Effective 1/1/01

13

Name & Signature: Cal Hurtt



Title: Development Manager

Date: 12/19/00

(This space for state use only)

Drunkards Wash Total Well Count

(Through 2000 Drilling Season)

| Well # | API # | Location | Section | Tship | Range |
|--------------------|------------|--------------------|---------|-------|-------|
| Utah 25-09-01 | 4300730130 | 1683 FSL, 877 FEL | 25 | 14S | 09E |
| Utah 36-01-02 | 4300730178 | 600 FNL, 620 FEL | 36 | 14S | 09E |
| Utah 31-03-03 | 4300730143 | 740 FNL, 1780 FWL | 31 | 14S | 10E |
| Utah 36-03-04 | 4300730142 | 822 FNL, 2176 FWL | 36 | 14S | 09E |
| Utah 36-09-05 | 4300730144 | 2050 FSL, 700 FEL | 36 | 14S | 09E |
| Utah 25-07-06 | 4300730156 | 2599 FNL, 1902 FEL | 25 | 14S | 09E |
| Utah 25-11-07 | 4300730157 | 1718 FSL, 2210 FWL | 25 | 14S | 09E |
| Utah 26-16-08 | 4300730181 | 800 FSL, 750 FEL | 26 | 14S | 09E |
| Utah 35-01-09 | 4300730180 | 650 FNL, 850 FEL | 35 | 14S | 09E |
| Utah 31-12-10 | 4300730183 | 1995 FSL, 745 FWL | 31 | 14S | 10E |
| Utah 36-11-11 | 4300730184 | 1837 FSL, 1903 FWL | 36 | 14S | 09E |
| Utah 19-14-12 | 4300730182 | 860 FSL, 1780 FWL | 19 | 14S | 10E |
| Utah 30-05-13 | 4300730179 | 1493 FNL, 728 FWL | 30 | 14S | 10E |
| Utah 30-13-14 | 4300730185 | 612 FSL, 670 FWL | 30 | 14S | 10E |
| Utah 24-01-15 | 4300730191 | 1320 FNL, 1320 FEL | 24 | 14S | 09E |
| Utah 24-03-16 | 4300730187 | 1310 FNL, 1525 FWL | 24 | 14S | 09E |
| Utah 24-12-17 | 4300730208 | 1320 FSL, 1320 FWL | 24 | 14S | 09E |
| Utah 24-16-18 | 4300730192 | 482 FSL, 940 FEL | 24 | 14S | 09E |
| Utah 23-02-19 | 4300730207 | 963 FNL, 1470 FEL | 23 | 14S | 09E |
| Utah 23-04-20 | 4300730194 | 1291 FNL, 1257 FWL | 23 | 14S | 09E |
| Utah 23-14-21 | 4300730200 | 739 FSL, 1716 FWL | 23 | 14S | 09E |
| Utah 23-09-22 | 4300730201 | 1320 FSL, 1320 FEL | 23 | 14S | 09E |
| Utah 26-01-23 | 4300730205 | 1320 FNL, 1320 FEL | 26 | 14S | 09E |
| Utah 26-06-24 | 4300730202 | 1480 FNL, 2000 FWL | 26 | 14S | 09E |
| Utah 26-11-25 | 4300730204 | 1500 FSL, 1500 FWL | 26 | 14S | 09E |
| Utah 35-03-26 | 4300730203 | 1085 FNL, 1805 FWL | 35 | 14S | 09E |
| Utah 35-10-27 | 4300730197 | 2567 FSL, 2151 FEL | 35 | 14S | 09E |
| Utah 35-13-28 | 4300730198 | 1236 FSL, 1152 FWL | 35 | 14S | 09E |
| Utah 27-08-29 | 4300730193 | 2134 FNL, 753 FEL | 27 | 14S | 09E |
| Utah 27-09-30 | 4300730186 | 1359 FSL, 707 FEL | 27 | 14S | 09E |
| Utah 34-01-31 | 4300730196 | 464 FNL, 540 FEL | 34 | 14S | 09E |
| Utah 34-09-32 | 4300730195 | 1938 FSL, 435 FEL | 34 | 14S | 09E |
| Utah 25-04-33 | 4300730206 | 920 FNL, 780 FWL | 25 | 14S | 09E |
| Prettyman 10-15-34 | 4300730211 | 842 FSL, 1419 FEL | 10 | 14S | 09E |
| Utah 10-36 | 4300730302 | 1213 FNL, 469 FEL | 10 | 15S | 09E |
| Utah 12-15-37 | 4300730210 | 1158 FSL, 1494 FEL | 12 | 15S | 09E |
| Utah 06-38 | 4300730217 | 899 FNL, 1730 FEL | 6 | 15S | 10E |
| Utah 06-39 | 4300730218 | 934 FNL, 819 FWL | 6 | 15S | 10E |
| Utah 06-40 | 4300730219 | 2180 FSL, 1780 FEL | 6 | 15S | 10E |
| Utah 06-41 | 4300730254 | 2124 FSL, 1054 FWL | 6 | 15S | 10E |
| Utah 01-42 | 4300730220 | 860 FNL, 1780 FEL | 1 | 15S | 09E |
| Utah 01-43 | 4300730221 | 808 FNL, 1451 FWL | 1 | 15S | 09E |
| Utah 01-44 | 4300730222 | 860 FSL, 1320 FWL | 1 | 15S | 09E |
| Utah 01-45 | 4300730223 | 1219 FSL, 1318 FEL | 1 | 15S | 09E |
| Utah 02-46 | 4300730224 | 860 FNL, 860 FEL | 2 | 15S | 09E |

| | | | | | |
|----------------|------------|--------------------|----|-----|-----|
| Utah 02-47 | 4300730225 | 1318 FNL, 1791 FWL | 2 | 15S | 09E |
| Utah 02-48 | 4300730226 | 1780 FSL, 860 FEL | 2 | 15S | 09E |
| Utah 02-49 | 4300730227 | 1320 FSL, 2080 FWL | 2 | 15S | 09E |
| Utah 11-50 | 4300730228 | 860 FNL, 860 FEL | 11 | 15S | 09E |
| Utah 11-51 | 4300730229 | 1000 FNL, 1900 FWL | 11 | 15S | 09E |
| Utah 11-52 | 4300730230 | 1400 FSL, 1100 FEL | 11 | 15S | 09E |
| Utah 11-53 | 4300730231 | 1780 FSL, 1800 FWL | 11 | 15S | 09E |
| Utah 12-54 | 4300730232 | 875 FNL, 1015 FWL | 12 | 15S | 09E |
| Utah 12-55 | 4300730233 | 1500 FNL, 1320 FEL | 12 | 15S | 09E |
| Utah 12-56 | 4300730234 | 1500 FSL, 1320 FWL | 12 | 15S | 09E |
| Utah 07-57 | 4300730235 | 1421 FNL, 1003 FWL | 7 | 15S | 10E |
| Utah 07-58 | 4300730236 | 1495 FNL, 2006 FEL | 7 | 15S | 10E |
| Utah 07-59 | 4300730237 | 1400 FSL, 2100 FEL | 7 | 15S | 10E |
| Utah 07-60 | 4300730238 | 954 FSL, 1256 FWL | 7 | 15S | 10E |
| Utah 14-61 | 4300730239 | 1386 FNL, 931 FEL | 14 | 15S | 09E |
| Utah 14-62 | 4300730240 | 980 FNL, 1385 FWL | 14 | 15S | 09E |
| Utah 14-63 | 4300730241 | 1780 FSL, 1320 FEL | 14 | 15S | 09E |
| Utah 14-64 | 4300730242 | 907 FSL, 1392 FWL | 14 | 15S | 09E |
| Utah 13-65 | 4300730243 | 1320 FNL, 1200 FEL | 13 | 15S | 09E |
| Utah 13-66 | 4300730244 | 1276 FNL, 1301 FWL | 13 | 15S | 09E |
| Utah 13-67 | 4300730245 | 1800 FSL, 1500 FEL | 13 | 15S | 09E |
| Utah 13-68 | 4300730246 | 1320 FSL, 1320 FWL | 13 | 15S | 09E |
| Utah 18-69 | 4300730427 | 1320 FNL, 1320 FWL | 18 | 15S | 10E |
| Utah 18-70 | 4300730248 | 1110 FNL, 2127 FEL | 18 | 15S | 10E |
| Utah 18-71 | 4300730249 | 1764 FSL, 1767 FEL | 18 | 15S | 10E |
| Utah 18-72 | 4300730250 | 2100 FSL, 1100 FWL | 18 | 15S | 10E |
| USA 19-73 | 4300730392 | 1664 FNL, 1412 FEL | 19 | 15S | 10E |
| Utah 14-74 | 4300730529 | 1365 FSL, 1988 FEL | 14 | 14S | 09E |
| Utah 14-75 | 4300730263 | 1036 FSL, 1622 FWL | 14 | 14S | 09E |
| Utah 22-76 | 4300730251 | 1320 FNL, 660 FEL | 22 | 14S | 09E |
| Utah 19-77 | 4300730252 | 1780 FSL, 660 FWL | 19 | 14S | 10E |
| Williams 30-78 | 4300730279 | 460 FNL, 660 FEL | 30 | 14S | 10E |
| Utah 31-79 | 4300730253 | 1780 FSL, 1780 FEL | 31 | 14S | 10E |
| Utah 24-80 | 4300730255 | 590 FNL, 1612 FWL | 24 | 15S | 09E |
| Utah 24-81 | 4300730256 | 1067 FNL, 1361 FEL | 24 | 15S | 09E |
| Utah 32-82 | 4300730257 | 600 FNL, 2028 FEL | 32 | 15S | 09E |
| Utah 21-83 | 4300730259 | 1780 FNL, 460 FWL | 21 | 15S | 10E |
| H&A 07-84 | 4300730258 | 1780 FSL, 1780 FWL | 7 | 15S | 09E |
| Utah 27-85 | 4300730261 | 2173 FNL, 676 FWL | 27 | 14S | 08E |
| Utah 24-86 | 4300730267 | 1788 FSL, 1677 FEL | 24 | 15S | 09E |
| Utah 24-87 | 4300730375 | 1780 FSL, 1333 FWL | 24 | 15S | 09E |
| USA 15-88 | 4300730264 | 872 FSL, 875 FEL | 15 | 14S | 09E |
| Telonis 22-89 | 4300730266 | 836 FNL, 1766 FWL | 22 | 14S | 09E |
| Telonis 21-90 | 4300730328 | 1272 FNL, 1188 FEL | 21 | 14S | 09E |
| USA 13-91 | 4300730568 | 1443 FSL, 1017 FWL | 13 | 14S | 09E |
| Utah 13-92 | 4300730439 | 624 FSL, 899 FEL | 13 | 14S | 09E |
| Utah 18-93 | 4300730587 | 556 FSL, 673 FWL | 18 | 14S | 10E |
| Utah 05-95 | 4300730269 | 640 FNL, 580 FWL | 5 | 15S | 10E |
| Utah 05-94 | 4300730270 | 1520 FSL, 1320 FWL | 5 | 15S | 10E |

| | | | | | |
|---------------------|------------|--------------------|----|-----|-----|
| Utah 05-96 | 4300730271 | 1780 FSL, 2180 FEL | 5 | 15S | 10E |
| Utah 08-97 | 4300730272 | 1495 FNL, 1273 FEL | 8 | 15S | 10E |
| Utah 08-98X | 4300730285 | 1341 FNL, 1319 FWL | 8 | 15S | 10E |
| Utah 08-99 | 4300730274 | 1500 FSL, 1120 FWL | 8 | 15S | 10E |
| Utah 08-100 | 4300730275 | 1500 FSL, 1400 FEL | 8 | 15S | 10E |
| Utah 17-101 | 4300730416 | 460 FNL, 2180 FEL | 17 | 15S | 10E |
| Utah 17-102 | 4300730277 | 810 FNL, 910 FWL | 17 | 15S | 10E |
| Utah 17-103 | 4300730278 | 1520 FSL, 1120 FWL | 17 | 15S | 10E |
| Powell 19-104 | 4300730282 | 1327 FNL, 1458 FWL | 19 | 15S | 10E |
| Powell 19-105 | 4300730283 | 1239 FSL, 1325 FWL | 19 | 15S | 10E |
| Utah 23-106 | 4300730280 | 150 FNL, 1400 FEL | 23 | 15S | 09E |
| Utah 23-107 | 4300730281 | 1252 FNL, 1255 FWL | 23 | 15S | 09E |
| Birkinshaw 19-108 | 4300730284 | 1305 FNL, 1192 FEL | 19 | 15S | 09E |
| Utah 36-109 | 4300730268 | 1800 FNL, 1800 FWL | 36 | 15S | 09E |
| Utah 16-110 | 4301530250 | 860 FSL, 2000 FWL | 16 | 16S | 09E |
| Fausett 09-111 | 4300730428 | 2215 FSL, 354 FEL | 9 | 14S | 09E |
| Fausett 10-112 | 4300730415 | 1590 FSL, 1342 FWL | 10 | 14S | 09E |
| Giacoletto 11-113 | 4300730335 | 500 FSL, 2070 FWL | 11 | 14S | 09E |
| Prettyman 11-114 | 4300730340 | 471 FSL, 1828 FEL | 11 | 14S | 09E |
| Giacoletto 13-120 | 4300730407 | 1200 FNL, 1219 FWL | 13 | 14S | 09E |
| Giacoletto 14-121 | 4300730345 | 1200 FNL, 1060 FEL | 14 | 14S | 09E |
| USA 14-122 | 4300730404 | 1500 FNL, 1039 FWL | 14 | 14S | 09E |
| Utah 30-125 | 4300730262 | 630 FSL, 1627 FEL | 30 | 14S | 10E |
| Utah 31-126 | 4300730305 | 1954 FNL, 1291 FEL | 31 | 14S | 10E |
| Robertson 32-127 | 4300730374 | 646 FNL, 349 FWL | 32 | 14S | 10E |
| Utah 04-129 | 4300730309 | 700 FWL, 1850 FSL | 4 | 15S | 10E |
| Utah 04-130 | 4300730519 | 860 FSL, 2150 FEL | 4 | 15S | 10E |
| Sampinos 16-131 | 4300730610 | 1201 FNL, 1016 FWL | 16 | 15S | 10E |
| Jensen 16-132 | 4300730588 | 1206 FSL, 1240 FWL | 16 | 15S | 10E |
| LDS 17-133 | 4300730296 | 1500 FSL, 1700 FEL | 17 | 15S | 10E |
| Utah 25-134 | 4300730399 | 745 FNL, 1482 FWL | 25 | 15S | 09E |
| Utah 36-135 | 4300730341 | 850 FNL, 850 FEL | 36 | 15S | 09E |
| Utah 36-136 | 4300730343 | 465 FSL, 660 FWL | 36 | 15S | 09E |
| Utah 36-137 | 4300730342 | 2180 FSL, 1800 FEL | 36 | 15S | 09E |
| Utah 02-138 | 4301530288 | 638 FNL, 1865 FEL | 2 | 16S | 09E |
| Utah 02-139 | 4301530289 | 1890 FNL, 850 FWL | 2 | 16S | 09E |
| Utah 02-140 | 4301530290 | 850 FSL, 1800 FWL | 2 | 16S | 09E |
| Utah 02-141 | 4301530291 | 1800 FSL, 1950 FEL | 2 | 16S | 09E |
| Telonis 15-142 | 4300730319 | 1320 FSL, 860 FWL | 15 | 14S | 09E |
| Fausett 16-143 | 4300730320 | 1320 FNL, 1320 FEL | 16 | 14S | 09E |
| Fausett 16-144 | 4300730321 | 1800 FNL, 860 FWL | 16 | 14S | 09E |
| Telonis 16-145 | 4300730322 | 1320 FSL, 1320 FWL | 16 | 14S | 09E |
| Paar 16-146 | 4300730323 | 843 FSL, 2157 FEL | 16 | 14S | 09E |
| Christiansen 17-147 | 4300730324 | 860 FSL, 1800 FWL | 17 | 14S | 09E |
| Christiansen 17-148 | 4300730325 | 1250 FSL, 1100 FEL | 17 | 14S | 09E |
| Birkinshaw 18-149 | 4300730326 | 500 FSL, 500 FEL | 18 | 14S | 09E |
| Telonis 19-150 | 4300730300 | 751 FNL, 1840 FWL | 19 | 14S | 09E |
| Telonis 19-151 | 4300730299 | 860 FSL, 2000 FWL | 19 | 14S | 09E |
| Telonis 20-152 | 4300730327 | 1320 FNL, 1900 FEL | 20 | 14S | 09E |

| | | | | | |
|-----------------------|------------|--------------------|----|-----|-----|
| Telonis 21-153 | 4300730329 | 860 FNL, 1800 FWL | 21 | 14S | 09E |
| Telonis 29-154 | 4300730330 | 800 FNL, 1500 FWL | 29 | 14S | 09E |
| Telonis 29-155 | 4300730331 | 1800 FSL, 1250 FWL | 29 | 14S | 09E |
| Telonis 30-156 | 4300730301 | 910 FNL, 868 FEL | 30 | 14S | 09E |
| Telonis 30-157 | 4300730332 | 1800 FSL, 580 FEL | 30 | 14S | 09E |
| Utah 32-158 | 4300730333 | 1038 FNL, 1768 FEL | 32 | 14S | 09E |
| Utah 32-159 | 4300730334 | 2011 FNL, 1426 FWL | 32 | 14S | 09E |
| Utah 32-160 | 4300730398 | 1500 FSL, 1780 FWL | 32 | 14S | 09E |
| Utah 32-161 | 4300730336 | 415 FSL, 1408 FEL | 32 | 14S | 09E |
| Utah 36-162 | 4300730315 | 2053 FNL, 685 FEL | 36 | 14S | 08E |
| Utah 36-163 | 4300730316 | 860 FNL, 2100 FWL | 36 | 14S | 08E |
| Utah 36-164 | 4300730317 | 1070 FSL, 2000 FWL | 36 | 14S | 08E |
| Utah 36-165 | 4300730318 | 1100 FSL, 1500 FEL | 36 | 14S | 08E |
| Utah 02-166 | 4300730337 | 1219 FNL, 1738 FEL | 2 | 15S | 08E |
| Utah 02-167 | 4300730338 | 660 FNL, 2075 FWL | 2 | 15S | 08E |
| Utah 02-168 | 4300730339 | 1800 FSL, 2100 FWL | 2 | 15S | 08E |
| Utah 02-169 | 4300730308 | 754 FSL, 1000 FEL | 2 | 15S | 08E |
| Seamons 32-170 | 4300730291 | 700 FNL, 500 FWL | 32 | 13S | 09E |
| Pinnacle Peak 19-171 | 4300730117 | 1320 FSL, 1320 FEL | 19 | 14S | 09E |
| Telonis 20-172 | 4300730107 | 1980 FSL, 660 FEL | 20 | 14S | 09E |
| Powell 30-173 | 4300730346 | 1200 FNL, 1200 FWL | 30 | 15S | 10E |
| Stella-Hamaker 10-174 | 4300730116 | 852 FNL, 1971 FWL | 10 | 15S | 08E |
| Utah 31-175 | 4301530317 | 897 FNL, 1731 FWL | 31 | 16S | 09E |
| USA 15-176 | 4300730450 | 2588 FNL, 1155 FEL | 15 | 14S | 09E |
| USA 09-178 | 4300730419 | 428 FSL, 2527 FWL | 9 | 14S | 09E |
| USA 17-180A | 4300730622 | 2563 FNL, 1383 FWL | 17 | 14S | 09E |
| USA 18-182 | 4300730417 | 1068 FSL, 1972 FWL | 18 | 14S | 09E |
| USA 24-183 | 4300730469 | 828 FNL, 624 FEL | 24 | 14S | 08E |
| Utah 27-187 | 4300730395 | 1400 FNL, 1400 FWL | 27 | 14S | 09E |
| Utah 27-188 | 4300730292 | 477 FSL, 518 FWL | 27 | 14S | 09E |
| Utah 28-189 | 4300730396 | 1707 FNL, 868 FEL | 28 | 14S | 09E |
| Utah 28-190 | 4300730397 | 1969 FNL, 1324 FWL | 28 | 14S | 09E |
| Utah 28-191 | 4300730293 | 693 FSL, 1623 FWL | 28 | 14S | 09E |
| Utah 28-192 | 4300730294 | 1407 FNL, 1940 FWL | 28 | 14S | 09E |
| Utah 29-193 | 4300730405 | 693 FNL, 1029 FEL | 29 | 14S | 09E |
| Utah 29-194 | 4300730427 | 951 FSL, 370 FEL | 29 | 14S | 09E |
| Utah 30-195 | 4300730265 | 1407 FNL, 1940 FWL | 30 | 14S | 09E |
| Utah 30-196 | 4300730344 | 1056 FSL, 1984 FWL | 30 | 14S | 09E |
| Kakatsidas 31-197 | 4300730420 | 619 FNL, 1361 FEL | 31 | 14S | 09E |
| Utah 31-198 | 4300730406 | 1403 FNL, 1540 FWL | 31 | 14S | 09E |
| Utah 31-199 | 4300730480 | 1125 FSL, 928 FWL | 31 | 14S | 09E |
| Utah 31-200 | 4300730385 | 2118 FSL, 549 FEL | 31 | 14S | 09E |
| Utah 33-201 | 4300730386 | 317 FNL, 1815 FEL | 33 | 14S | 09E |
| Utah 33-202 | 4300730387 | 1939 FNL, 1593 FWL | 33 | 14S | 09E |
| Utah 33-203 | 4300730388 | 1373 FSL, 1140 FWL | 33 | 14S | 09E |
| Utah 33-204 | 4300730389 | 2024 FSL, 1525 FEL | 33 | 14S | 09E |
| Utah 05-205 | 4300730384 | 1485 FNL, 760 FEL | 5 | 15S | 09E |
| Utah 05-206 | 4300730390 | 1300 FNL, 1352 FWL | 5 | 15S | 09E |
| Utah 06-207 | 4300730391 | 825 FNL, 928 FEL | 6 | 15S | 08E |

| | | | | | |
|-------------|------------|--------------------|----|-----|-----|
| Utah 01-208 | 4300730464 | 1246 FNL, 1831 FEL | 1 | 15S | 09E |
| Utah 01-209 | 4300730467 | 2271 FSL, 1251 FEL | 1 | 15S | 09E |
| Utah 34-211 | 4300730114 | 1181 FSL, 1005 FWL | 34 | 14S | 09E |
| Utah 03-212 | 4300730468 | 1187 FNL, 1761 FEL | 3 | 15S | 09E |
| Utah 03-213 | 4300730381 | 1466 FNL, 2041 FWL | 3 | 15S | 09E |
| Utah 03-214 | 4300730295 | 813 FSL, 966 FWL | 3 | 15S | 09E |
| Utah 03-215 | 4300730297 | 988 FSL, 604 FEL | 3 | 15S | 09E |
| Utah 04-216 | 4300730382 | 1610 FNL, 810 FEL | 4 | 15S | 09E |
| Utah 04-217 | 4300730383 | 1343 FNL, 1119 FWL | 4 | 15S | 09E |
| Utah 04-218 | 4300730418 | 1084 FSL, 509 FEL | 4 | 15S | 09E |
| Utah 10-219 | 4300730298 | 805 FNL, 756 FWL | 10 | 15S | 09E |
| Utah 10-220 | 4300730432 | 474 FSL, 372 FWL | 10 | 15S | 09E |
| Utah 10-221 | 4300730303 | 1602 FSL, 2032 FEL | 10 | 15S | 09E |
| USA 19-222 | 4300730393 | 1574 FSL, 1647 FEL | 19 | 15S | 10E |
| Utah 06-223 | 4300730430 | 1636 FSL, 1085 FEL | 6 | 15S | 09E |
| Utah 05-225 | 4300730440 | 421 FSL, 498 FEL | 5 | 15S | 09E |
| Utah 04-226 | 4300730408 | 571 FSL, 2331 FWL | 4 | 15S | 09E |
| Utah 09-227 | 4300730449 | 652 FNL, 1331 FEL | 9 | 15S | 09E |
| Utah 09-228 | 4300730413 | 1444 FNL, 1520 FWL | 9 | 15S | 09E |
| Utah 09-229 | 4300730414 | 1595 FSL, 2051 FWL | 9 | 15S | 09E |
| Utah 08-230 | 4300730410 | 2003 FNL, 960 FEL | 8 | 15S | 09E |
| Utah 08-231 | 4300730411 | 1321 FNL, 1738 FWL | 8 | 15S | 09E |
| H&A 08-232 | 4300730412 | 1135 FSL, 1497 FWL | 8 | 15S | 09E |
| Utah 08-233 | 4300730488 | 468 FSL, 2030 FEL | 8 | 15S | 09E |
| Utah 07-234 | 4300730409 | 1876 FNL, 875 FEL | 7 | 15S | 09E |
| Utah 07-235 | 4300730421 | 2098 FSL, 510 FEL | 7 | 15S | 09E |
| H&A 18-236 | 4300730459 | 896 FNL, 1511 FEL | 18 | 15S | 09E |
| Utah 18-237 | 4300730485 | 1867 FSL, 1920 FEL | 18 | 15S | 09E |
| Utah 17-238 | 4300730510 | 677 FNL, 1321 FEL | 17 | 15S | 09E |
| Utah 17-239 | 4300730511 | 1383 FNL, 1576 FWL | 17 | 15S | 09E |
| Utah 17-240 | 4300730512 | 1977 FSL, 1394 FWL | 17 | 15S | 09E |
| Utah 17-241 | 4300730513 | 1668 FSL, 2222 FEL | 17 | 15S | 08E |
| USA 12-242 | 4300730482 | 1738 FNL, 1505 FEL | 12 | 15S | 08E |
| USA 12-243 | 4300730486 | 950 FNL, 232 FWL | 12 | 15S | 08E |
| USA 11-244 | 4300730463 | 1151 FNL, 1690 FEL | 11 | 15S | 08E |
| USA 11-245 | 4300730462 | 1234 FNL, 1743 FWL | 11 | 15S | 08E |
| Utah 01-246 | 4300730566 | 1619 FNL, 170 FWL | 1 | 15S | 09E |
| Utah 01-247 | 4300730465 | 594 FSL, 266 FWL | 1 | 15S | 08E |
| USA 35-248 | 4300730582 | 828 FSL, 1245 FEL | 35 | 15S | 09E |
| USA 30-251 | 4300730403 | 1169 FSL, 913 FWL | 30 | 15S | 10E |
| Utah 25-252 | 4300730400 | 1937 FNL, 1416 FEL | 25 | 15S | 09E |
| Utah 25-253 | 4300730401 | 809 FSL, 899 FWL | 25 | 15S | 09E |
| Utah 25-254 | 4300730402 | 1787 FSL, 1954 FEL | 25 | 15S | 09E |
| Utah 26-255 | 4300730446 | 1209 FNL, 755 FEL | 26 | 15S | 09E |
| Utah 26-256 | 4300730445 | 1274 FSL, 1351 FWL | 26 | 15S | 09E |
| Utah 26-257 | 4300730444 | 1263 FSL, 1368 FEL | 26 | 15S | 09E |
| Utah 34-258 | 4300730552 | 1198 FNL, 1880 FEL | 34 | 15S | 09E |
| Utah 34-259 | 4300730456 | 1662 FSL, 2046 FEL | 34 | 15S | 09E |
| Utah 35-260 | 4300730447 | 814 FNL, 1900 FEL | 35 | 15S | 09E |

| | | | | | |
|----------------------|------------|--------------------|----|-----|-----|
| Utah 35-261 | 4300730442 | 615 FNL, 818 FWL | 35 | 15S | 09E |
| Utah 35-262 | 4300730443 | 1657 FSL, 1850 FWL | 35 | 15S | 09E |
| Utah 35-263 | 4300730441 | 1785 FSL, 946 FEL | 35 | 15S | 09E |
| USA 01-264 | 4301530336 | 1055 FNL, 441 FWL | 1 | 16S | 09E |
| USA 01-265 | 4301530337 | 1739 FSL, 636 FWL | 1 | 16S | 09E |
| Woolstenhulme 05-266 | 4300730481 | 1389 FNL, 2179 FEL | 5 | 15S | 10E |
| Utah 26-267 | 4300730514 | 1836 FNL, 2130 FWL | 26 | 15S | 09E |
| Utah 27-268 | 4300730457 | 1125 FSL, 1682 FWL | 26 | 15S | 09E |
| Utah 27-269 | 4300730458 | 1661 FSL, 795 FEL | 27 | 15S | 09E |
| Utah 34-270 | 4300730347 | 774 FNL, 756 FWL | 34 | 15S | 09E |
| Utah 34-271 | 4300730496 | 1693 FSL, 965 FWL | 34 | 15S | 09E |
| Utah 33-272 | 4300730502 | 694 FNL, 2034 FEL | 33 | 15S | 09E |
| Utah 33-273 | 4300730493 | 1922 FNL, 328 FWL | 33 | 15S | 09E |
| Utah 33-274 | 4300730494 | 1098 FSL, 1673 FWL | 33 | 15S | 09E |
| Utah 33-275 | 4300730495 | 1401 FSL, 1029 FEL | 33 | 15S | 09E |
| Utah 32-276 | 4300730483 | 738 FL, 1318 FWL | 32 | 15S | 09E |
| Utah 32-277 | 4300730484 | 1613 FSL, 1931 FEL | 32 | 15S | 09E |
| Utah 05-278 | 4301530278 | 1665 FNL, 1923 FEL | 5 | 15S | 09E |
| Utah 04-279 | 4301530340 | 1020 FNL, 1757 FEL | 4 | 16S | 09E |
| Utah 04-280 | 4301530341 | 2087 FNL, 1627 FWL | 4 | 16S | 09E |
| Utah 04-281 | 4301530399 | 999 FSL, 896 FWL | 4 | 16S | 09E |
| Utah 04-282 | 4301530342 | 2188 FSL, 911 FEL | 4 | 16S | 09E |
| Utah 03-283 | 4301530349 | 461 FNL, 1772 FEL | 3 | 16S | 09E |
| Utah 03-284 | 4301530346 | 1218 FNL, 753 FWL | 3 | 16S | 09E |
| Utah 03-285 | 4301530345 | 1917 FSL, 546 FWL | 3 | 16S | 09E |
| Utah 03-286 | 4301530344 | 1690 FSL, 1958 FEL | 3 | 16S | 09E |
| USA 20-287 | 4300730448 | 1395 FNL, 979 FWL | 20 | 15S | 10E |
| USA 20-288 | 4300730451 | 1566 FSL, 1125 FWL | 20 | 15S | 10E |
| USA 30-289 | 4300730452 | 1184 FNL, 1353 FEL | 30 | 15S | 10E |
| USA 30-290 | 4300730453 | 1080 FSL, 1508 FEL | 30 | 14S | 10E |
| USA 11-291 | 4300730501 | 2609 FNL, 1994 FEL | 11 | 14S | 09E |
| USA 11-292 | 4300730500 | 2483 FNL, 664 FWL | 11 | 14S | 09E |
| USA 10-293 | 4300730498 | 2011 FNL, 847 FEL | 10 | 14S | 09E |
| USA 10-294 | 4300730497 | 1750 FNL, 769 FWL | 10 | 14S | 09E |
| USA 09-295 | 4300730499 | 696 FNL, 1198 FEL | 9 | 14S | 09E |
| Fausett 09-296 | 4300730455 | 2072 FNL, 798 FWL | 9 | 14S | 09E |
| USA 08-297 | 4300730491 | 789 FNL, 958 FEL | 8 | 14S | 09E |
| Ritzakis 08-298 | 4300730475 | 798 FNL, 2018 FWL | 8 | 14S | 09E |
| Ritzakis 08-299 | 4300730479 | 2187 FSL, 1885 FWL | 8 | 14S | 09E |
| Ritzakis 08-300 | 4300730476 | 2485 FSL, 1522 FEL | 8 | 14S | 09E |
| USA 04-302 | 4300730489 | 1076 FSL, 1860 FWL | 4 | 14S | 09E |
| USA 04-303 | 4300730490 | 597 FSL, 984 FEL | 4 | 14S | 09E |
| Ritzakis 05-304 | 4300730473 | 688 FSL, 1888 FWL | 5 | 14S | 09E |
| Ritzakis 05-305 | 4300730474 | 1104 FSL, 1196 FEL | 5 | 14S | 09E |
| USA 06-306 | 4300730492 | 399 FSL, 306 FEL | 6 | 14S | 09E |
| Helper 07-307 | 4300730487 | 672 FNL, 962 FWL | 7 | 15S | 09E |
| USA 31-310 | 4300730516 | 624 FNL, 1238 FWL | 31 | 15S | 10E |
| USA 31-311 | 4300730517 | 1934 FSL, 973 FWL | 31 | 15S | 10E |
| USA 01-312 | 4301530350 | 1453 FNL, 1881 FEL | 1 | 16S | 09E |

| | | | | | |
|--------------|------------|--------------------|----|-----|-----|
| USA 11-314 | 4301530353 | 1262 FNL, 1136 FWL | 11 | 16S | 09E |
| USA 10-317 | 4301530352 | 1221 FNL, 1104 FEL | 10 | 16S | 09E |
| USA 12-322 | 4300730576 | 492 FSL, 495 FWL | 10 | 15S | 08E |
| USA 12-323 | 4300730577 | 540 FSL, 784 FEL | 12 | 15S | 08E |
| USA 11-324 | 4300730575 | 732 FSL, 1763 FEL | 11 | 15S | 08E |
| USA 14-325 | 4300730579 | 890 FNL, 1469 FEL | 14 | 15S | 08E |
| USA 13-326 | 4300730581 | 1065 FNL, 1563 FEL | 13 | 15S | 08E |
| USA 13-327 | 4300730578 | 1092 FNL, 941 FWL | 13 | 15S | 08E |
| USA 35-328 | 4300730583 | 964 FSL, 1999 FWL | 35 | 14S | 08E |
| Utah 09-329 | 4300730561 | 884 FSL, 1324 FEL | 9 | 15S | 09E |
| Utah 06-330 | 4300730562 | 938 FNL, 1564 FWL | 6 | 15S | 09E |
| Utah 20-333 | 4300730669 | 1069 FNL, 1460 FEL | 20 | 15S | 09E |
| Utah 20-334 | 4300730625 | 932 FNL, 1655 FWL | 20 | 15S | 09E |
| Utah 20-335 | 4300730626 | 2152 FSL, 1716 FWL | 20 | 15S | 09E |
| Utah 19-337 | 4300730623 | 926 FNL, 768 FEL | 19 | 15S | 09E |
| Utah 19-338 | 4300730624 | 1789 FSL, 1426 FEL | 19 | 15S | 09E |
| Utah 05-343 | 4301530400 | 1795 FNL, 1431 FWL | 5 | 16S | 09E |
| Utah 05-344 | 4301530401 | 1316 FSL, 1343 FWL | 5 | 16S | 09E |
| Utah 05-345 | 4301530402 | 908 FSL, 1449 FEL | 5 | 16S | 09E |
| Utah 08-354 | 4301530395 | 1073 FNL, 1914 FEL | 8 | 16S | 09E |
| Utah 08-355 | 4301530378 | 1673 FNL, 850 FWL | 8 | 16S | 09E |
| Utah 08-356 | 4301530379 | 1701 FSL, 799 FWL | 8 | 16S | 09E |
| Utah 08-357 | 4301530380 | 1722 FSL, 1599 FEL | 8 | 16S | 09E |
| Utah 09-358 | 4301530300 | 2097 FNL, 1634 FEL | 9 | 16S | 09E |
| Utah 09-359 | 4301530407 | 1787 FNL, 871 FWL | 9 | 16S | 09E |
| Utah 09-360 | 4301530397 | 1323 FSL, 881 FWL | 9 | 16S | 09E |
| Utah 09-361 | 4301530408 | 1564 FSL, 1998 FEL | 9 | 16S | 09E |
| USA 10-362 | 4301530424 | 2225 FNL, 494 FWL | 10 | 16S | 09E |
| USA 14-386 | 4300730634 | 592 FNL, 2236 FWL | 14 | 15S | 08E |
| USA 24-387 | 4300730612 | 1243 FSL, 2306 FWL | 10 | 14S | 08E |
| USA 24-388 | 4300730613 | 1177 FSL, 612 FEL | 24 | 14S | 08E |
| Utah 25-389 | 4300730600 | 737 FNL, 1976 FEL | 25 | 14S | 08E |
| Utah 25-390 | 4300730599 | 1540 FNL, 1354 FWL | 25 | 14S | 08E |
| Utah 25-391A | 4300730658 | 1264 FSL, 1573 FWL | 25 | 14S | 08E |
| Utah 25-392 | 4300730602 | 2045 FSL, 1718 FEL | 25 | 14S | 09E |
| USA 26-393 | 4300730614 | 1666 FNL, 874 FEL | 26 | 14S | 08E |
| USA 26-394 | 4300730615 | 856 FSL, 2377 FWL | 26 | 14S | 08E |
| USA 26-395 | 4300730616 | 1927 FSL, 830 FEL | 26 | 14S | 08E |
| USA 35-396 | 4300730584 | 616 FNL, 1896 FEL | 35 | 14S | 08E |
| USA 35-397 | 4300730585 | 949 FNL, 1264 FWL | 35 | 14S | 08E |
| USA 20-398 | 4300730590 | 1374 FNL, 1387 FEL | 20 | 15S | 10E |
| USA 20-399 | 4300730591 | 1445 FSL, 1128 FEL | 20 | 15S | 10E |
| Utah 09-412 | 4300730580 | 1102 FSL, 1018 FWL | 9 | 15S | 10E |
| Utah 09-413 | 4300730605 | 1007 FNL, 1197 FWL | 9 | 15S | 10E |
| Utah 10-415 | 4301530391 | 1090 FNL, 557 FEL | 10 | 16S | 08E |
| USA 14-416 | 4300730646 | 892 FSL, 1311 FWL | 14 | 15S | 08E |
| USA 14-417 | 4300730647 | 1741 FSL, 1054 FEL | 14 | 15S | 09E |
| USA 13-418 | 4300730645 | 737 FSL, 793 FEL | 13 | 15S | 08E |
| USA 13-419 | 4300730631 | 2617 FSL, 1958 FEL | 13 | 15S | 08E |

| | | | | | |
|--------------------|------------|--------------------|----|-----|-----|
| USA 23-423 | 4300730611 | 408 FSL, 924 FEL | 23 | 14S | 08E |
| USA 34-434 | 4300730621 | 1342 FSL, 922 FEL | 34 | 14S | 08E |
| USA 18-435 | 4300730619 | 1868 FNL, 793 FWL | 18 | 14S | 09E |
| USA 07-436 | 4300730630 | 3121 FNL, 871 FEL | 7 | 14S | 09E |
| USA 03-442 | 4300730710 | 899 FNL, 553 FEL | 3 | 15S | 08E |
| USA 24-443 | 4300730651 | 1780 FNL, 2247 FEL | 24 | 15S | 08E |
| USA 24-444 | 4300730648 | 1338 FNL, 1153 FWL | 24 | 15S | 08E |
| USA 24-446 | 4300730708 | 1377 FNL, 2340 FWL | 24 | 14S | 08E |
| USA 13-447 | 4300730707 | 2044 FSL, 741 FEL | 13 | 14S | 08E |
| USA 24-448 | 4300730652 | 2146 FSL, 2021 FEL | 24 | 15S | 08E |
| Utah 34-456 | 4300730713 | 755 FNL, 1377 FEL | 34 | 14S | 08E |
| USA 13-470 | 4300730706 | 1741 FNL, 554 FEL | 13 | 14S | 08E |
| Utah 06-483 | 4300730716 | 2456 FSL, 988 FWL | 6 | 15S | 09E |
| American Quasar D1 | 4300730040 | 999 FSL, 1552 FWL | 31 | 14S | 10E |
| Arcadia-Telonis D2 | 4300730093 | 465 FSL, 560 FEL | 19 | 14S | 09E |
| Utah D3 | 4300730290 | 1600 FSL, 1530 FEL | 18 | 15S | 10E |
| Utah D4 | 4300730314 | 600 FNL, 500 FWL | 24 | 14S | 09E |
| Fausett D5 | 4300730351 | 467 FNL, 1461 FWL | 16 | 14S | 09E |
| Drew D6 | 4300730100 | 1300 FSL, 830 FWL | 34 | 14S | 09E |
| Utah D7 | 4301530338 | 1371 FSL, 1530 FEL | 2 | 14S | 09E |
| Utah D8 | 4300730431 | 1342 FNL, 350 FWL | 12 | 15S | 09E |
| Utah D9 | 4300730438 | 1960 FNL, 1487 FWL | 32 | 14S | 09E |
| RGC D10 | 4300730520 | 162 FNL, 1557 FEL | 28 | 15S | 09E |
| USA D11 | 4301530356 | 1513 FNL, 2437 FEL | 13 | 16S | 09E |
| Sampinos D14 | 4300730567 | 1695 FSL, 2133 FEL | 16 | 15S | 10E |

LAW OFFICES

PRUITT, GUSHEE & BACHTTELL

THOMAS W. BACHTTELL
A. JOHN DAVIS, III
JOHN W. ANDERSON
FREDERICK M. MACDONALD
GEORGE S. YOUNG
ANGELA L. FRANKLIN
JOHN S. FLITTON
MICHAEL S. JOHNSON
WILLIAM E. WARD

SUITE 1850 BENEFICIAL LIFE TOWER
SALT LAKE CITY, UTAH 84111-1495
(801) 531-8446
TELECOPIER (801) 531-8468
E-MAIL: mail@pgblaw.com

SENIOR COUNSEL:
ROBERT G. PRUITT, JR.
OLIVER W. GUSHEE, JR.

OF COUNSEL:
ROBERT G. PRUITT, III
BRENT A. BOHMAN

January 29, 2001

HAND DELIVERED

Mr. Jim Thompson
Utah Division of Oil, Gas & Mining
1594 W. North Temple
Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:


Phillips Petroleum Company
Attn: Billy Stacy, Operations Manager
P.O. Box 3368
Englewood, CO 80155-3368
Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson
January 29, 2001
Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

A handwritten signature in black ink, appearing to read "Frederick M. MacDonald", written over the typed name.

Frederick M. MacDonald

FMM:cs
2078.16
Enclosures
cc: W. H. Rainbolt
Billy Stacy



Utah Department of Commerce
Division of Corporations & Commercial Code
160 East 300 South, 2nd Floor, Box 146705
Salt Lake City, UT 84114-6705
Phone: (801) 530-4849
Toll Free: (877) 526-3994 Utah Residents
Fax: (801) 530-6438
Web site: <http://www.commerce.state.ut.us>

Registration Number: 562960-0143

01/12/01


Business Name: PHILLIPS PETROLEUM COMPANY

Registered Date: JUNE 14, 1946

CERTIFICATE OF ARTICLES OF MERGER

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY CERTIFIES THAT

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Ric Campbell

Ric Campbell
Acting Division Director of
Corporations and Commercial Code

Dept. of Professional Licensing
(801)530-6628

Real Estate
(801)530-6747

Public Utilities
(801)530-6651

Securities
(801)530-6600

Consumer Protection
(801)530-6601

62111001000
00171151

State of Delaware
Office of the Secretary of State

PAGE 1

TS

12/13/2000
Receipt Number: 188532
Amount Paid: \$145.00

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,
WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

12-12-00P04:02 RCVD

TAP

FILED

DEC 12 2000

Utah Div. Of Corp. & Comm. Code

State of Utah
Department of Commerce
Division of Corporations and Commercial Code
I hereby certify that the foregoing has been filed and approved on this 12 day of Dec 20 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner



RIC CAMPBELL
ACTING DIRECTOR



Edward J. Freel, Secretary of State
AUTHENTICATION: 0837738

0064324 8100M

001609453

DATE: 12-07-00

CERTIFICATE OF OWNERSHIP AND MERGER

OF

RIVER GAS CORPORATION

(an Alabama corporation)

into

Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.

2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.

3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.

4. The Corporation hereby merges River Gas Corporation into the Corporation.

5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:

"1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

12-12-00P04:02 RCVD

provisions of Section 253 of the General Corporation Law of Delaware.

"2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.

"3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.

"4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.

"5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.

"6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.

"7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for. "

" This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."

"Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

N. A. Loftis
N. A. Loftis, Assistant Secretary



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3106
UTU-47157 et al
(UT-932)

JAN 30 2001

NOTICE

| | | |
|--|---|-------------|
| Phillips Petroleum Company | : | Oil and Gas |
| Attn: W. H. Rainbolt, Rocky Mtn. Region-Land | : | |
| Box 1967 | : | |
| Houston, TX 77251-1967 | : | |

Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company with Phillips Petroleum Company being the surviving entity.

The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

ROBERT LOPEZ

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JAN 2 2001

DIVISION OF
OIL, GAS AND MINERALS

cc:

Moab Field Office

Vernal Field Office

Price Field Office

MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114

The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor
Brooklyn, NY 11245

Teresa Thompson (UT-931)

LaVerne Steah (UT-942)

Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,
Salt Lake City, Utah 84111-1495

BLM, Eastern States Office (Attn: Bill Forbes)

OPERATOR CHANGE WORKSHEET

ROUTING

| | | |
|--------|-------------------------------------|---|
| 1. GLH | | 4-KAS |
| 2. CDW | <input checked="" type="checkbox"/> | 5- 8 <input checked="" type="checkbox"/> |
| 3. JLT | | 6-FILE |

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X MergerThe operator of the well(s) listed below has changed, effective: **12-31-2000****FROM:** (Old Operator):

RIVER GAS CORPORATION

Address: 6825 S. 5300 W. P. O. BOX 851

PRICE, UT 84501

Phone: 1-(435)-613-9777

Account N1605

TO: (New Operator):

PHILLIPS PETROLEUM COMPANY

Address: P. O. BOX 3368

ENGLEWOOD, CO 80155-3368

Phone: 1-(720)-344-4984

Account N1475

CA No.

Unit: **DRUNKARDS WASH****WELL(S)**

| NAME | API NO. | ENTITY NO. | SEC. TWN RNG | LEASE TYPE | WELL TYPE | WELL STATUS |
|-------------|--------------|------------|--------------|------------|-----------|-------------|
| UTAH 34-258 | 43-007-30552 | 11256 | 34-15S-09E | STATE | GW | P |
| UTAH 34-259 | 43-007-30456 | 11256 | 34-15S-09E | STATE | GW | P |
| UTAH 34-270 | 43-007-30347 | 11256 | 34-15S-09E | STATE | GW | P |
| UTAH 34-271 | 43-007-30496 | 11256 | 34-15S-09E | STATE | GW | P |
| UTAH 35-260 | 43-007-30447 | 11256 | 35-15S-09E | STATE | GW | P |
| UTAH 35-261 | 43-007-30442 | 11256 | 35-15S-09E | STATE | GW | P |
| UTAH 35-262 | 43-007-30443 | 11256 | 35-15S-09E | STATE | GW | P |
| UTAH 35-263 | 43-007-30441 | 11256 | 35-15S-09E | STATE | GW | P |
| UTAH 36-109 | 43-007-30268 | 11256 | 36-15S-09E | STATE | GW | P |
| UTAH 36-135 | 43-007-30341 | 11256 | 36-15S-09E | STATE | GW | P |
| UTAH 36-136 | 43-007-30343 | 11256 | 36-15S-09E | STATE | GW | P |
| UTAH 36-137 | 43-007-30342 | 11256 | 36-15S-09E | STATE | GW | P |
| UTAH 04-129 | 43-007-30309 | 11256 | 04-15S-10E | STATE | GW | P |
| UTAH 04-130 | 43-007-30519 | 11256 | 04-15S-10E | STATE | GW | P |
| UTAH 5-94 | 43-007-30269 | 11256 | 05-15S-10E | STATE | GW | P |
| UTAH 5-95 | 43-007-30270 | 11256 | 05-15S-10E | STATE | GW | P |
| UTAH 5-96 | 43-007-30271 | 11256 | 05-15S-10E | STATE | GW | P |
| UTAH 6-38 | 43-007-30217 | 11256 | 06-15S-10E | STATE | GW | P |
| UTAH 6-39 | 43-007-30218 | 11256 | 06-15S-10E | STATE | GW | P |
| UTAH 6-40 | 43-007-30219 | 11256 | 06-15S-10E | STATE | GW | P |

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/29/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/29/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 02/15/2001

4. Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
5. If **NO**, the operator was contacted contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/30/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Proj:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/01/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/01/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 5952189
~~N/A~~

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3-16-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT ☐ FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

| | | |
|--|--|--|
| 1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>Salt Water Disp</u> | | 5. LEASE DESIGNATION AND SERIAL NUMBER: <u>ML-46106</u> |
| b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____ | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| 2. NAME OF OPERATOR <u>Anadarko Petroleum Corporation</u> | | 7. UNIT or CA AGREEMENT NAME |
| 3. ADDRESS OF OPERATOR <u>17001 Northchase Drive, Houston, Texas 77060</u> | | 8. WELL NAME and NUMBER: <u>Clawson Spring State SWD #1</u> |
| 4. LOCATION OF WELL (FOOTAGES) AT SURFACE: <u>716' FNL & 2301' FWL</u> AT TOP PRODUCING INTERVAL REPORTED BELOW: <u>SAME</u> AT TOTAL DEPTH: <u>SAME</u> | | 9. API NUMBER: <u>43-007-30721</u> |
| 14. DATE SPURRED <u>8/4/00</u> | | 10. FIELD AND POOL, OR WILDCAT <u>SWD</u> |
| 15. DATE T.D. REACHED <u>9/13/00</u> | | 11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <u>NENW OF SECTION 36, T15S, R8E</u> |
| 16. DATE COMPLETED: <u>2/7/01</u> | | 12. COUNTY <u>CARBON</u> |
| ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/> | | 13. STATE <u>UTAH</u> |
| 17. ELEVATIONS (DF, RKB, RT, GL): <u>6796' GL</u> | | |
| 18. TOTAL DEPTH: MD <u>8448'</u> TVD | | 21. DEPTH BRIDGE MD <u>NONE</u> PLUG SET: TVD |
| 19. PLUG, BACK T.D.: MD TVD | | 20. IF MULTIPLE COMPLETIONS, HOW MANY? <u>N/A</u> |
| 22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) <u>CBL/CCL/GR/NEUTRON/DENSITY/GR, DSI/GR - 3/23/01</u> <u>AIT/LC/GR - 3/23/01 Bond attenuation/GR</u> | | |
| 23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) Drill System Test NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit copy) | | |

24. CASING AND LINER RECORD (Report all strings set in well)

| HOLE SIZE | SIZE/GRADE | WEIGHT (#/ft.) | TOP (MD) | BOTTOM (MD) | STAGE CEMENTER DEPTH | CEMENT TYPE & NO. OF SACKS | SLURRY VOLUME (BBL) | CEMENT TOP ** | AMOUNT PULLED |
|-----------|------------|----------------|----------|-------------|----------------------|----------------------------|---------------------|---------------|---------------|
| 17 1/2" | 13 3/8" | 48# | 0 | 316' | | 390SXS | | SURFACE | NONE |
| 12 1/4" | 8 5/8" | 24# | 0 | 4300' | | 800 SXS | | SURFACE | NONE |
| 7 7/8" | 5 1/2" | 17# | 0 | 8448' | | 568 SXS | | 4528' | NONE |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

25. TUBING RECORD

| SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|--------|----------------|-----------------|------|----------------|-----------------|------|----------------|-----------------|
| 2 3/8" | 7090' | 7090' | | | | | | |

26. PRODUCING INTERVALS

| FORMATION NAME | TOP (MD) | BOTTOM (MD) | TOP (TVD) | BOTTOM (TVD) | INTERVAL (Top/Bot - MD) | SIZE | NO. HOLES | PERFORATION STATUS |
|----------------|----------|-------------|-----------|--------------|-------------------------|------|-----------|--|
| NAVAJO | 7706 | 8218 | | | 7706-8218 OA | .66 | 788 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |
| | | | | | | | | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |
| | | | | | | | | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |
| | | | | | | | | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL | AMOUNT AND TYPE OF MATERIAL |
|----------------|-----------------------------|
| 7706-8218 OA | NO TREATMENT |
| | |
| | |

29. ENCLOSED ATTACHMENTS:

- ☒ ELECTRICAL/MECHANICAL LOGS
☐ SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION

- ☐ GEOLOGIC REPORT
☐ CORE ANALYSIS

- ☐ DST REPORT
☐ OTHER: _____

- ☐ DIRECTIONAL SURVEY LOGS
☐ OTHER: _____

30. WELL STATUS:

RECEIVED
MAR 23 2001
DIVISION OF OIL, GAS AND MINING

31. INITIAL PRODUCTION

INTERVAL A (As shown in item

| | | | | | | | | | | |
|----------------------------------|-------------|------------------------|-------------|---------------------|---------------|----------------------------|-----------------|-----------------|----------------------|------------------------------|
| DATE FIRST PRODUCED: 02/07/01 | | TEST DATE: 02/12/01 | | HOURS TESTED: 24 | | TEST PRODUCTION RATES: | OIL - BBL: 0 | GAS - MCF: 0 | WATER - BBL: 1000 | PROD. METHOD: 1200 PSI |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU - GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: | OIL - BBL: 0 | GAS - MCF: 0 | WATER - BBL: 1000 | INTERVAL STATUS: DISPOSAL |

INTERVAL B (As shown in item

| | | | | | | | | | | |
|----------------------|-------------|-------------|-------------|---------------|---------------|-------------------------|------------|------------|--------------|------------------|
| DATE FIRST PRODUCED: | | TEST DATE: | | HOURS TESTED: | | TEST PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU - GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | INTERVAL STATUS: |

INTERVAL C (As shown in item

| | | | | | | | | | | |
|----------------------|-------------|-------------|-------------|---------------|---------------|-------------------------|------------|------------|--------------|------------------|
| DATE FIRST PRODUCED: | | TEST DATE: | | HOURS TESTED: | | TEST PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU - GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | INTERVAL STATUS: |

INTERVAL D (As shown in item

| | | | | | | | | | | |
|----------------------|-------------|-------------|-------------|---------------|---------------|-------------------------|------------|------------|--------------|------------------|
| DATE FIRST PRODUCED: | | TEST DATE: | | HOURS TESTED: | | TEST PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU - GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: | OIL - BBL: | GAS - MCF: | WATER - BBL: | INTERVAL STATUS: |

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

| Formation | Top (MD) | Bottom (MD) | Descriptions, Contents, etc. | Name | Top (Measured Depth) |
|-----------|-------------|----------------|------------------------------|--------------|-------------------------|
| | | | | FERRON COAL | 3746 |
| | | | | TUNUCK SHALE | 3739 |
| | | | | NAVAJO | 7694 |

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) DANIEL J. VICTOR

TITLE PRODUCTION ENGINEER

SIGNATURE



DATE 3/21/01

This report must be submitted within 30 days of

- ! completing or plugging a new well
- ! drilling horizontal laterals from an existing well bore
- ! recompleting to a different producing formation

- ! reentering a previously plugged and abandoned well
- ! significantly deepening an existing well bore below the previous bottom-hole depth
- ! drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from tow or more formations.

**ITEM24: Cement Top-Show how reported top(s) of cement were determined (circulated(CIR), calculated(CAL), cement bond log(CBL), temperature survey(TS))

Sent to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340
Fax: 801-359-3940

Clawson Springs SWD 1

716' FNL & 2310' FWL Sec 36-T15S-R8E

API 43-007-30721 in Carbon County, Utah

SPUD RIG OFF

SURFACE 08/04/2000 09/13/2000

1ST DAY WATER DISPOSAL: 02/07/01 1000 BWPD 1200 PSI

6795 GL KB 6804

WELL WORK HISTORY

17 1/2" Hole
13 3/8" 48#
Set w/ 390 sxs cmt

316

12 1/4" Hole
8 5/8" 24# J-55
615 sxs lead cmt
185 sxs tail cmt

4300

CALC
TOC
4528

PKR

7090

SURFACE STRING

13-3/8" 48# H40 - set @ 316

CEMENT: Type: Class G

Volume: 390 sx

Cement Top: Surface

INTERMEDIATE STRING

8-5/8" 24# J55 - set @ 4300

Hole Size: 12.25

CEMENT: Type: Class G

Volume: 615 sx lead + 185 sx tail

Cement Top: Surface

INJECTION STRING

5-1/2" 17# N80 - set @ 8448

Calc TOC: 4528

Hole Size: 7.875" TD: 8448

CEMENT: Type: All Class G except 38 sx in 2nd Stage was HiLift

Volume: 1st 410 sx / 2nd 38 sx lead + 120 sx tail

(Holes) Perforations

(112) 7706 - 7734

(48) 7846 - 7858

(60) 7887 - 7902

(84) 7922 - 7943

(156) 7947 - 7986

(80) 8000 - 8020

(72) 8026 - 8044

(176) 8174 - 8218

(788) Total Holes

Hole Size 7 7/8"
5 1/2" 17# N-80
410 sxs [1st stage]
38 sxs lead cmt
in the 2nd stage
120 sxs tail cmt
in the 2nd stage

TD 8448

8448

DEVIATION ANGLE

| | |
|------|--------|
| 1788 | -2 |
| 2663 | -1 1/2 |
| 3623 | -3 1/2 |
| 4657 | -4 |
| 5205 | -3 3/4 |
| 5579 | -1 |
| 6043 | -2 1/4 |
| 6487 | -2 |
| 7036 | -1 3/4 |
| 7377 | -1 3/4 |

FORMATION TOP

Ferron Coal 3746

Tunuck 3739

LAST REVISED: 03/22/2001



March 22, 2001

Ms. Carol Daniels
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

Dear Ms. Daniels:

Please find enclosed, a Form 3160-4, Well Completion Report, Wellbore Diagram, and Logs for the first 13 below listed wells. The last 3 are State of Utah wells and I enclosed the same information for each of these wells, a Form 8, Well Completion Report, Wellbore Diagram. Should you require any additional information, please contact me at (281) 873-3899.

- 1) Smith Federal A-1
- 2) Helper Federal A-4
- 3) Helper Federal A-5
- 4) Helper Federal A-6
- 5) Helper Federal B-15
- 6) Helper Federal C-5
- 7) Helper Federal C-6
- 8) Helper Federal D-12
- 9) Helper Federal G-1
- 10) Helper Federal G-2
- 11) Helper Federal G-3
- 12) Helper Federal G-3
- 13) Helper Federal G-4
- 14) Helper Federal H-4
- 15) Helper State E-3
- 16) Clawson Springs State SWD#1
- 17) Clawson Springs State SWD #4

Sincerely,

ANADARKO PETROLEUM CORPORATION

A handwritten signature in cursive script that reads "April A. Leger".

April A. Leger
Sr. Engineering Technician

Enclosures

RECEIVED

MAR 23 2001

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

Phillips Petroleum Company

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well
Footages:

1780' FSL, 2180' FEL

QQ, Sec., T., R., M.:

NW/SE, SEC. 05, T15S, R10E, SLB & M

5. Lease Designation and Serial Number:

ML - 38668

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Utah 05-96

9. API Well Number:

43-007-30271

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical/Flush Treatment</u> | |
| Date of work completion <u>03/17/2001</u> | |

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4,000 gallons of low Ph fluid & 250 gallons of 7 1/2% HCL on 03/17/01.

RECEIVED

APR 25 2001

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title: Administrative Assistant

Date: 04/20/2001

(This space for state use only)



Re: Notice of Address Change, Merger and Name Change
Address Change effective **December 2, 2002**
Merger and Name Change effective **December 31, 2002**

Divisions of Oil, Gas, and Mining
Attn: Mr. John Baza
1594 West North Temple,
Suite 1210, P. O. Box 145801
Salt Lake City, UT 84114-5801

Gentlemen:

1. Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.

2. On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

U.S. Mail Address:

ConocoPhillips Company
P.O. Box 2197
Houston, Texas 77252
Attn: Chief Landman,
San Juan/Rockies

Physical Address & Overnight Delivery:

ConocoPhillips Company
550 Westlake Park Blvd.
Three Westlake Park
3WL, Room WL 9000
Houston, Texas 77079
Attn: Chief Landman,
San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

**Attn: Chief Landman,
San Juan/Rockies**

**Fax No.: 832-486-2688 or
832-486-2687**

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters

Sincerely,

RECEIVED

DEC 02 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|---|
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>All</u> | | 5. LEASE DESIGNATION AND SERIAL NUMBER: |
| 2. NAME OF OPERATOR: Phillips Petroleum Company | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 980 Plaza Office CITY Bartlesville STATE OK ZIP 74004 | | 7. UNIT or CA AGREEMENT NAME: |
| PHONE NUMBER: (918) 661-4415 | | 8. WELL NAME and NUMBER: See Attached List |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List | | 9. API NUMBER: See List |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: | | 10. FIELD AND POOL, OR WILDCAT: |

COUNTY:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input checked="" type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Conoco Inc. was merged into Phillips Petroleum Company, the surviving corporation, on December 31, 2002. In connection with this merger and effective on the same date, the name of the surviving corporation was changed to "ConocoPhillips Company". We are requesting that a new Operator Number be assigned to ConocoPhillips Company.

Please send production reporting forms to Herb Henderson at ConocoPhillips Company, 315 S. Johnstone, 980 Plaza Office, Bartlesville, OK 74004. Herb's phone number is 918-661-4415.

Current Operator
Phillips Petroleum Company


Steve de Albuquerque


New Operator
ConocoPhillips Company


Yolanda Perez

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

| | |
|---|-------------------------------------|
| NAME (PLEASE PRINT) <u>Yolanda Perez</u> | TITLE <u>Sr. Regulatory Analyst</u> |
| SIGNATURE  | DATE <u>12/30/2002</u> |

(This space for State use only)




SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:


1. As Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation.
2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.
3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.


Assistant Secretary
ConocoPhillips Company

STATE OF TEXAS §
 §
COUNTY OF HARRIS §


This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation.



RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING


Notary Public

Delaware

PAGE 1

The First State


I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



0064324 8100

030002793

Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

DATE: 01-02-03

FROM RL&F#1

(THU) 12.12'02 13:32/ST. 13:34
STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 01:41 PM 12/12/2002
020763238 - 0064324

CERTIFICATE OF AMENDMENT

to the

RESTATED CERTIFICATE OF INCORPORATION

of

**PHILLIPS PETROLEUM COMPANY
(to be renamed ConocoPhillips Company)**

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.

2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:

"Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."

4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

HOU03:884504.1

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

FROM RL&F#1

(THU) 12.12.02 13:32/ST. 13:31/NO. 4864756279 P 6

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this
12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

By: 

Name: Rick A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

HOU03:884504.1

RECEIVED
JAN 08 2003
DIV. OF OIL, GAS & MINING

Delaware

PAGE 1

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,


WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



0064324 8100M

030002793

Harriet Smith Windsor

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183370

DATE: 01-02-03

CERTIFICATE OF MERGER

of

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company
(a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

| <u>NAME</u> | <u>STATE OF INCORPORATION</u> |
|----------------------------|-------------------------------|
| PHILLIPS PETROLEUM COMPANY | Delaware |
| CONOCO INC. | Delaware |

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079;

RECEIVED

JAN 08 2003


DIV. OF OIL, GAS & MINING

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY
(a Delaware corporation)

27
By: 
Name: Rick A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

RECEIVED
JAN 08 2003
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF COMMERCE
REGISTRATION

CONOCOPHILLIPS COMPANY

EFFECTIVE
06/14/1946

EXPIRATION
*RENEWAL

REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

Corporation - Foreign - Profit
562960-0143

UNITED STATES CORP CO
CONOCOPHILLIPS COMPANY
GATEWAY TOWER EAST STE 900
10 EAST SOUTH TEMPLE
SLC UT 84133

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF COMMERCE
DIVISION OF CORPORATIONS & COMMERCIAL CODE
REGISTRATION

EFFECTIVE DATE: 06/14/1946
EXPIRATION DATE: *RENEWAL
ISSUED TO: CONOCOPHILLIPS COMPANY



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143 Corporation - Foreign - Profit

*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpn | Twps | Rngn | Rngd |
|--------------------|-------------------|-----------|-------------|-----|------|------|------|------|
| 43-007-30887-00-00 | ANDREEN 32-529 | Gas Well | APD | 32 | 14 | S | 10 | E |
| 43-007-30865-00-00 | COTNER 29-549 | Gas Well | APD | 29 | 14 | S | 10 | E |
| 43-007-30837-00-00 | DALLIN 32-615 | Gas Well | APD | 32 | 13 | S | 9 | E |
| 43-047-34551-00-00 | FED 43-24-3 #1 | Gas Well | APD | 24 | 10 | S | 17 | E |
| 43-047-33982-00-00 | FEDERAL 12-17 #1 | Gas Well | APD | 17 | 10 | S | 18 | E |
| 43-047-34471-00-00 | FEDERAL 12-29-7 1 | Gas Well | APD | 29 | 9 | S | 19 | E |
| 43-047-34472-00-00 | FEDERAL 31-31-6 1 | Gas Well | APD | 31 | 9 | S | 19 | E |
| 43-007-30864-00-00 | MCKENDRICK 29-548 | Gas Well | APD | 29 | 14 | S | 10 | E |
| 43-015-30512-00-00 | PPCO 19-379 | Gas Well | APD | 19 | 16 | S | 9 | E |
| 43-015-30515-00-00 | PPCO 24-562 | Gas Well | APD | 24 | 16 | S | 8 | E |
| 43-015-30548-00-00 | PPCO 30-605 | Gas Well | APD | 30 | 16 | S | 9 | E |
| 43-007-30888-00-00 | PRICE 32-438 | Gas Well | APD | 32 | 14 | S | 10 | E |
| 43-007-30813-00-00 | RITZAKIS 33-514 | Gas Well | APD | 33 | 13 | S | 9 | E |
| 43-007-30766-00-00 | RITZAKIS 33-516 | Gas Well | APD | 33 | 13 | S | 9 | E |
| 43-007-30838-00-00 | ROWLEY 32-616 | Gas Well | APD | 32 | 13 | S | 9 | E |
| 43-007-30863-00-00 | SCHMIDT 29-531 | Gas Well | APD | 29 | 14 | S | 10 | E |
| 43-007-30797-00-00 | SEELY 15-498 | Gas Well | APD | 15 | 14 | S | 8 | E |
| 43-007-30798-00-00 | SEELY 15-499 | Gas Well | APD | 15 | 14 | S | 8 | E |
| 43-007-30799-00-00 | SEELY 15-500 | Gas Well | APD | 15 | 14 | S | 8 | E |
| 43-007-30796-00-00 | SEELY 22-492 | Gas Well | APD | 22 | 14 | S | 8 | E |
| 43-007-30801-00-00 | SEELY 22-502 | Gas Well | APD | 22 | 14 | S | 8 | E |
| 43-007-30802-00-00 | SEELY 22-503 | Gas Well | APD | 22 | 14 | S | 8 | E |
| 43-007-30711-00-00 | USA 09-452 | Gas Well | APD | 9 | 15 | S | 8 | E |
| 43-015-30351-00-00 | USA 11-313 | Gas Well | APD | 11 | 16 | S | 9 | E |
| 43-015-30398-00-00 | USA 12-385 | Gas Well | APD | 12 | 16 | S | 9 | E |
| 43-015-30409-00-00 | USA 12-426 | Gas Well | APD | 12 | 16 | S | 9 | E |
| 43-007-30805-00-00 | USA 14-490 | Gas Well | APD | 14 | 14 | S | 8 | E |
| 43-007-30806-00-00 | USA 14-491 | Gas Well | APD | 14 | 14 | S | 8 | E |
| 43-007-30676-00-00 | USA 15-421 | Gas Well | APD | 15 | 15 | S | 8 | E |
| 43-015-30417-00-00 | USA 21-427 | Gas Well | APD | 21 | 16 | S | 9 | E |
| 43-015-30416-00-00 | USA 21-428 | Gas Well | APD | 21 | 16 | S | 9 | E |
| 43-015-30415-00-00 | USA 21-429 | Gas Well | APD | 21 | 16 | S | 9 | E |
| 43-007-30515-00-00 | USA 31-309 | Gas Well | APD | 31 | 15 | S | 10 | E |
| 43-007-30835-00-00 | USA 33-515 | Gas Well | APD | 33 | 13 | S | 9 | E |
| 43-007-30836-00-00 | USA 33-624 | Gas Well | APD | 33 | 13 | S | 9 | E |
| 43-007-30803-00-00 | USA 34-518 | Gas Well | APD | 34 | 14 | S | 8 | E |
| 43-007-30478-00-00 | UTAH 05-224 | Gas Well | APD | 5 | 15 | S | 9 | E |
| 43-015-30411-00-00 | UTAH 16-365 | Gas Well | APD | 16 | 16 | S | 9 | E |
| 43-015-30412-00-00 | UTAH 16-366 | Gas Well | APD | 16 | 16 | S | 9 | E |
| 43-015-30413-00-00 | UTAH 16-430 | Gas Well | APD | 16 | 16 | S | 9 | E |
| 43-015-30299-00-00 | UTAH 18-374 | Gas Well | APD | 18 | 16 | S | 9 | E |
| 43-015-30420-00-00 | UTAH 19-377 | Gas Well | APD | 19 | 16 | S | 9 | E |
| 43-015-30492-00-00 | UTAH 19-378 | Gas Well | APD | 19 | 16 | S | 9 | E |
| 43-007-30891-00-00 | UTAH 19-533 | Gas Well | APD | 19 | 14 | S | 10 | E |
| 43-015-30414-00-00 | UTAH 20-381 | Gas Well | APD | 20 | 16 | S | 9 | E |
| 43-015-30421-00-00 | UTAH 20-382 | Gas Well | APD | 20 | 16 | S | 9 | E |
| 43-015-30518-00-00 | UTAH 25-576 | Gas Well | APD | 25 | 16 | S | 8 | E |
| 43-015-30539-00-00 | UTAH 25-578 | Gas Well | APD | 25 | 16 | S | 8 | E |
| 43-015-30540-00-00 | UTAH 25-579 | Gas Well | APD | 25 | 16 | S | 8 | E |
| 43-007-30817-00-00 | UTAH 25-618 | Gas Well | APD | 25 | 13 | S | 9 | E |
| 43-015-30543-00-00 | UTAH 26-582 | Gas Well | APD | 26 | 16 | S | 8 | E |
| 43-015-30547-00-00 | UTAH 29-608 | Gas Well | APD | 29 | 16 | S | 9 | E |
| 43-007-30889-00-00 | UTAH 32-128 | Gas Well | APD | 32 | 14 | S | 10 | E |
| 43-007-30814-00-00 | UTAH 35-506 | Gas Well | APD | 35 | 13 | S | 9 | E |

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpr | Twpr | Rngn | Rngd |
|--------------------|--------------------------|-----------|-------------|-----|------|------|------|------|
| 43-047-33750-00-00 | FEDERAL 34-29 | Gas Well | P | 29 | 9 | S | 19 | E |
| 43-007-30782-00-00 | GAROFOLA 26-482 | Gas Well | P | 26 | 15 | S | 8 | E |
| 43-007-30335-00-00 | GIACOLETTO 11-113 | Gas Well | P | 11 | 14 | S | 9 | E |
| 43-007-30407-00-00 | GIACOLETTO 13-120 | Gas Well | P | 13 | 14 | S | 9 | E |
| 43-007-30345-00-00 | GIACOLETTO 14-121 | Gas Well | P | 14 | 14 | S | 9 | E |
| 43-007-30487-00-00 | HELPER & ASSOC 07-307 | Gas Well | P | 7 | 15 | S | 9 | E |
| 43-007-30459-00-00 | HELPER & ASSOC 18-236 | Gas Well | P | 18 | 15 | S | 9 | E |
| 43-007-30720-00-00 | HELPER & ASSOC 18-308 | Gas Well | P | 18 | 15 | S | 9 | E |
| 43-007-30412-00-00 | HELPER & ASSOC 8-232 | Gas Well | P | 8 | 15 | S | 9 | E |
| 43-007-30258-00-00 | HELPER & ASSOCIATES 7-84 | Gas Well | P | 7 | 15 | S | 9 | E |
| 43-007-30588-00-00 | JENSEN 16-132 | Gas Well | P | 16 | 15 | S | 10 | E |
| 43-007-30420-00-00 | KAKATSIDES 31-197 | Gas Well | P | 31 | 14 | S | 9 | E |
| 43-007-30296-00-00 | LDS 17-133 | Gas Well | P | 17 | 15 | S | 10 | E |
| 43-007-30323-00-00 | PAAR 16-146 | Gas Well | P | 16 | 14 | S | 9 | E |
| 43-047-34286-00-00 | PETES WASH 23-12 #1 | Gas Well | P | 12 | 10 | S | 17 | E |
| 43-007-30748-00-00 | PIERUCCI 25-461 | Gas Well | P | 25 | 15 | S | 8 | E |
| 43-007-30749-00-00 | PIERUCCI 25-462 | Gas Well | P | 25 | 15 | S | 8 | E |
| 43-007-30754-00-00 | PIERUCCI 26-463 | Gas Well | P | 26 | 15 | S | 8 | E |
| 43-007-30755-00-00 | PIERUCCI 26-464 | Gas Well | P | 26 | 15 | S | 8 | E |
| 43-007-30745-00-00 | PIERUCCI 26-481 | Gas Well | P | 26 | 15 | S | 8 | E |
| 43-007-30117-00-00 | PINNACLE PEAK 19-171 | Gas Well | P | 19 | 14 | S | 9 | E |
| 43-007-30845-00-00 | PMC 10-526 | Gas Well | P | 10 | 15 | S | 8 | E |
| 43-007-30282-00-00 | POWELL 19-104 | Gas Well | P | 19 | 15 | S | 10 | E |
| 43-007-30283-00-00 | POWELL 19-105 | Gas Well | P | 19 | 15 | S | 10 | E |
| 43-007-30346-00-00 | POWELL 30-173 | Gas Well | P | 30 | 15 | S | 10 | E |
| 43-015-30279-00-00 | PPCO 10-557 | Gas Well | P | 10 | 16 | S | 8 | E |
| 43-015-30494-00-00 | PPCO 15-555 | Gas Well | P | 15 | 16 | S | 8 | E |
| 43-007-30211-00-00 | PRETTYMAN 10-15-34 | Gas Well | P | 10 | 14 | S | 9 | E |
| 43-007-30340-00-00 | PRETTYMAN 11-114 | Gas Well | P | 11 | 14 | S | 9 | E |
| 43-007-30653-00-00 | RGC 21-331 | Gas Well | P | 21 | 15 | S | 9 | E |
| 43-007-30743-00-00 | RGC 21-332 | Gas Well | P | 21 | 15 | S | 9 | E |
| 43-007-30747-00-00 | RGC 25-460 | Gas Well | P | 25 | 15 | S | 8 | E |
| 43-007-30559-00-00 | RGC 28-318 | Gas Well | P | 28 | 15 | S | 9 | E |
| 43-007-30518-00-00 | RGC 28-319 | Gas Well | P | 28 | 15 | S | 9 | E |
| 43-007-30509-00-00 | RITZAKIS 03-408 | Gas Well | P | 3 | 14 | S | 9 | E |
| 43-007-30473-00-00 | RITZAKIS 5-304 | Gas Well | P | 5 | 14 | S | 9 | E |
| 43-007-30474-00-00 | RITZAKIS 5-305 | Gas Well | P | 5 | 14 | S | 9 | E |
| 43-007-30475-00-00 | RITZAKIS 8-298 | Gas Well | P | 8 | 14 | S | 9 | E |
| 43-007-30479-00-00 | RITZAKIS 8-299 | Gas Well | P | 8 | 14 | S | 9 | E |
| 43-007-30476-00-00 | RITZAKIS 8-300 | Gas Well | P | 8 | 14 | S | 9 | E |
| 43-007-30374-00-00 | ROBERTSON 32-127 | Gas Well | P | 32 | 14 | S | 10 | E |
| 43-007-30610-00-00 | SAMPINOS 16-131 | Gas Well | P | 16 | 15 | S | 10 | E |
| 43-007-30723-00-00 | SAMPINOS 16-454 | Gas Well | P | 16 | 15 | S | 10 | E |
| 43-007-30765-00-00 | SAMPINOS 16-521 | Gas Well | P | 16 | 15 | S | 10 | E |
| 43-007-30800-00-00 | SEELY 22-501 | Gas Well | P | 22 | 14 | S | 8 | E |
| 43-007-30130-00-00 | ST OF UT 25-9-1 | Gas Well | P | 25 | 14 | S | 9 | E |
| 43-007-30142-00-00 | ST OF UT 36-3-4 | Gas Well | P | 36 | 14 | S | 9 | E |
| 43-007-30116-00-00 | STELLA-HAMAKER 10-174 | Gas Well | P | 10 | 15 | S | 8 | E |
| 43-007-30746-00-00 | TABOR 23-468 | Gas Well | P | 23 | 15 | S | 8 | E |
| 43-007-30319-00-00 | TELONIS 15-142 | Gas Well | P | 15 | 14 | S | 9 | E |
| 43-007-30322-00-00 | TELONIS 16-145 | Gas Well | P | 16 | 14 | S | 9 | E |
| 43-007-30300-00-00 | TELONIS 19-150 | Gas Well | P | 19 | 14 | S | 9 | E |
| 43-007-30299-00-00 | TELONIS 19-151 | Gas Well | P | 19 | 14 | S | 9 | E |
| 43-007-30327-00-00 | TELONIS 20-152 | Gas Well | P | 20 | 14 | S | 9 | E |

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpn | Twpd | Rngn | Rngd |
|------------------------|------------------|------------------|--------------------|------------|-------------|-------------|-------------|-------------|
| 43-007-30631-00-00 | USA 13-419 | Gas Well | P | 13 | 15 | S | 8 | E |
| 43-007-30707-00-00 | USA 13-447 | Gas Well | P | 13 | 14 | S | 8 | E |
| 43-007-30706-00-00 | USA 13-470 | Gas Well | P | 13 | 14 | S | 8 | E |
| 43-007-30789-00-00 | USA 13-474 | Gas Well | P | 13 | 14 | S | 8 | E |
| 43-007-30790-00-00 | USA 13-475 | Gas Well | P | 13 | 14 | S | 8 | E |
| 43-007-30568-00-00 | USA 13-91 | Gas Well | P | 13 | 14 | S | 9 | E |
| 43-007-30404-00-00 | USA 14-122 | Gas Well | P | 14 | 14 | S | 9 | E |
| 43-015-30418-00-00 | USA 1-425 | Gas Well | P | 1 | 16 | S | 9 | E |
| 43-007-30579-00-00 | USA 14-325 | Gas Well | P | 14 | 15 | S | 8 | E |
| 43-007-30634-00-00 | USA 14-386 | Gas Well | P | 14 | 15 | S | 8 | E |
| 43-007-30646-00-00 | USA 14-416 | Gas Well | P | 14 | 15 | S | 8 | E |
| 43-007-30647-00-00 | USA 14-417 | Gas Well | P | 14 | 15 | S | 8 | E |
| 43-007-30791-00-00 | USA 14-476 | Gas Well | P | 14 | 14 | S | 8 | E |
| 43-007-30792-00-00 | USA 14-477 | Gas Well | P | 14 | 14 | S | 8 | E |
| 43-007-30529-00-00 | USA 14-74 | Gas Well | P | 14 | 14 | S | 9 | E |
| 43-007-30263-00-00 | USA 14-75 | Gas Well | P | 14 | 14 | S | 9 | E |
| 43-007-30450-00-00 | USA 15-176 | Gas Well | P | 15 | 14 | S | 9 | E |
| 43-007-30423-00-00 | USA 15-177 | Gas Well | P | 15 | 14 | S | 9 | E |
| 43-007-30690-00-00 | USA 15-420 | Gas Well | P | 15 | 15 | S | 8 | E |
| 43-007-30691-00-00 | USA 15-422 | Gas Well | P | 15 | 15 | S | 8 | E |
| 43-007-30264-00-00 | USA 15-88 | Gas Well | P | 15 | 14 | S | 9 | E |
| 43-007-30422-00-00 | USA 17-179 | Gas Well | P | 17 | 14 | S | 9 | E |
| 43-007-30622-00-00 | USA 17-180A | Gas Well | P | 17 | 14 | S | 9 | E |
| 43-007-30618-00-00 | USA 18-181 | Gas Well | P | 18 | 14 | S | 9 | E |
| 43-007-30417-00-00 | USA 18-182 | Gas Well | P | 18 | 14 | S | 9 | E |
| 43-007-30619-00-00 | USA 18-435 | Gas Well | P | 18 | 14 | S | 9 | E |
| 43-007-30393-00-00 | USA 19-222 | Gas Well | P | 19 | 15 | S | 10 | E |
| 43-007-30392-00-00 | USA 19-73 | Gas Well | P | 19 | 15 | S | 10 | E |
| 43-007-30448-00-00 | USA 20-287 | Gas Well | P | 20 | 15 | S | 10 | E |
| 43-007-30451-00-00 | USA 20-288 | Gas Well | P | 20 | 15 | S | 10 | E |
| 43-007-30590-00-00 | USA 20-398 | Gas Well | P | 20 | 15 | S | 10 | E |
| 43-007-30591-00-00 | USA 20-399 | Gas Well | P | 20 | 15 | S | 10 | E |
| 43-007-30424-00-00 | USA 21-184 | Gas Well | P | 21 | 14 | S | 9 | E |
| 43-007-30425-00-00 | USA 21-35 | Gas Well | P | 21 | 14 | S | 9 | E |
| 43-007-30426-00-00 | USA 22-185 | Gas Well | P | 22 | 14 | S | 9 | E |
| 43-007-30477-00-00 | USA 22-186 | Gas Well | P | 22 | 14 | S | 9 | E |
| 43-007-30700-00-00 | USA 22-466 | Gas Well | P | 22 | 15 | S | 8 | E |
| 43-007-30611-00-00 | USA 23-423 | Gas Well | P | 23 | 14 | S | 8 | E |
| 43-007-30650-00-00 | USA 23-445 | Gas Well | P | 23 | 15 | S | 8 | E |
| 43-007-30704-00-00 | USA 23-451 | Gas Well | P | 23 | 15 | S | 8 | E |
| 43-007-30503-00-00 | USA 23-467 | Gas Well | P | 23 | 15 | S | 8 | E |
| 43-007-30793-00-00 | USA 23-478 | Gas Well | P | 23 | 14 | S | 8 | E |
| 43-007-30794-00-00 | USA 23-479 | Gas Well | P | 23 | 14 | S | 8 | E |
| 43-007-30795-00-00 | USA 23-480 | Gas Well | P | 23 | 14 | S | 8 | E |
| 43-007-30469-00-00 | USA 24-183 | Gas Well | P | 24 | 14 | S | 8 | E |
| 43-007-30612-00-00 | USA 24-387 | Gas Well | P | 24 | 14 | S | 8 | E |
| 43-007-30613-00-00 | USA 24-388 | Gas Well | P | 24 | 14 | S | 8 | E |
| 43-007-30651-00-00 | USA 24-443 | Gas Well | P | 24 | 15 | S | 8 | E |
| 43-007-30648-00-00 | USA 24-444 | Gas Well | P | 24 | 15 | S | 8 | E |
| 43-007-30708-00-00 | USA 24-446 | Gas Well | P | 24 | 14 | S | 8 | E |
| 43-007-30652-00-00 | USA 24-448 | Gas Well | P | 24 | 15 | S | 8 | E |
| 43-007-30705-00-00 | USA 24-449 | Gas Well | P | 24 | 15 | S | 8 | E |
| 43-007-30505-00-00 | USA 25-459 | Gas Well | P | 25 | 15 | S | 8 | E |
| 43-007-30614-00-00 | USA 26-393 | Gas Well | P | 26 | 14 | S | 8 | E |

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpn | Twpd | Rngn | Rngd |
|------------------------|------------------|------------------|--------------------|------------|-------------|-------------|-------------|-------------|
| 43-007-30430-00-00 | UTAH 06-223 | Gas Well | P | 6 | 15 | S | 9 | E |
| 43-007-30562-00-00 | UTAH 06-330 | Gas Well | P | 6 | 15 | S | 9 | E |
| 43-007-30716-00-00 | UTAH 06-483 | Gas Well | P | 6 | 15 | S | 9 | E |
| 43-007-30409-00-00 | UTAH 07-234 | Gas Well | P | 7 | 15 | S | 9 | E |
| 43-007-30421-00-00 | UTAH 07-235 | Gas Well | P | 7 | 15 | S | 9 | E |
| 43-007-30411-00-00 | UTAH 08-231 | Gas Well | P | 8 | 15 | S | 9 | E |
| 43-007-30488-00-00 | UTAH 08-233 | Gas Well | P | 8 | 15 | S | 9 | E |
| 43-015-30464-00-00 | UTAH 08-354 | Gas Well | P | 8 | 16 | S | 9 | E |
| 43-015-30378-00-00 | UTAH 08-355 | Gas Well | P | 8 | 16 | S | 9 | E |
| 43-015-30379-00-00 | UTAH 08-356 | Gas Well | P | 8 | 16 | S | 9 | E |
| 43-015-30380-00-00 | UTAH 08-357 | Gas Well | P | 8 | 16 | S | 9 | E |
| 43-007-30449-00-00 | UTAH 09-227 | Gas Well | P | 9 | 15 | S | 9 | E |
| 43-007-30561-00-00 | UTAH 09-329 | Gas Well | P | 9 | 15 | S | 9 | E |
| 43-015-30300-00-00 | UTAH 09-358 | Gas Well | P | 9 | 16 | S | 9 | E |
| 43-015-30407-00-00 | UTAH 09-359 | Gas Well | P | 9 | 16 | S | 9 | E |
| 43-015-30397-00-00 | UTAH 09-360 | Gas Well | P | 9 | 16 | S | 9 | E |
| 43-015-30408-00-00 | UTAH 09-361 | Gas Well | P | 9 | 16 | S | 9 | E |
| 43-007-30580-00-00 | UTAH 09-412 | Gas Well | P | 9 | 15 | S | 10 | E |
| 43-007-30605-00-00 | UTAH 09-413 | Gas Well | P | 9 | 15 | S | 10 | E |
| 43-007-30657-00-00 | UTAH 09-450 | Gas Well | P | 9 | 15 | S | 10 | E |
| 43-007-30722-00-00 | UTAH 09-453 | Gas Well | P | 9 | 15 | S | 10 | E |
| 43-007-30302-00-00 | UTAH 10-01-36 | Gas Well | P | 10 | 15 | S | 9 | E |
| 43-007-30298-00-00 | UTAH 10-219 | Gas Well | P | 10 | 15 | S | 9 | E |
| 43-007-30432-00-00 | UTAH 10-220 | Gas Well | P | 10 | 15 | S | 9 | E |
| 43-007-30303-00-00 | UTAH 10-221 | Gas Well | P | 10 | 15 | S | 9 | E |
| 43-007-30228-00-00 | UTAH 11-50 | Gas Well | P | 11 | 15 | S | 9 | E |
| 43-007-30229-00-00 | UTAH 11-51 | Gas Well | P | 11 | 15 | S | 9 | E |
| 43-007-30230-00-00 | UTAH 11-52 | Gas Well | P | 11 | 15 | S | 9 | E |
| 43-007-30231-00-00 | UTAH 11-53 | Gas Well | P | 11 | 15 | S | 9 | E |
| 43-007-30467-00-00 | UTAH 1-209 | Gas Well | P | 1 | 15 | S | 8 | E |
| 43-007-30210-00-00 | UTAH 12-15-37 | Gas Well | P | 12 | 15 | S | 9 | E |
| 43-007-30232-00-00 | UTAH 12-54 | Gas Well | P | 12 | 15 | S | 9 | E |
| 43-007-30233-00-00 | UTAH 12-55 | Gas Well | P | 12 | 15 | S | 9 | E |
| 43-007-30234-00-00 | UTAH 12-56 | Gas Well | P | 12 | 15 | S | 9 | E |
| 43-015-30493-00-00 | UTAH 13-376 | Gas Well | P | 13 | 16 | S | 8 | E |
| 43-015-30301-00-00 | UTAH 13-550 | Gas Well | P | 13 | 16 | S | 8 | E |
| 43-007-30243-00-00 | UTAH 13-65 | Gas Well | P | 13 | 15 | S | 9 | E |
| 43-007-30244-00-00 | UTAH 13-66 | Gas Well | P | 13 | 15 | S | 9 | E |
| 43-007-30245-00-00 | UTAH 13-67 | Gas Well | P | 13 | 15 | S | 9 | E |
| 43-007-30246-00-00 | UTAH 13-68 | Gas Well | P | 13 | 15 | S | 9 | E |
| 43-007-30439-00-00 | UTAH 13-92 | Gas Well | P | 13 | 14 | S | 9 | E |
| 43-007-30220-00-00 | UTAH 1-42 | Gas Well | P | 1 | 15 | S | 9 | E |
| 43-007-30221-00-00 | UTAH 1-43 | Gas Well | P | 1 | 15 | S | 9 | E |
| 43-007-30222-00-00 | UTAH 1-44 | Gas Well | P | 1 | 15 | S | 9 | E |
| 43-007-30223-00-00 | UTAH 1-45 | Gas Well | P | 1 | 15 | S | 9 | E |
| 43-015-30330-00-00 | UTAH 14-551 | Gas Well | P | 14 | 16 | S | 8 | E |
| 43-015-30331-00-00 | UTAH 14-552 | Gas Well | P | 14 | 16 | S | 8 | E |
| 43-007-30239-00-00 | UTAH 14-61 | Gas Well | P | 14 | 15 | S | 9 | E |
| 43-007-30240-00-00 | UTAH 14-62 | Gas Well | P | 14 | 15 | S | 9 | E |
| 43-007-30241-00-00 | UTAH 14-63 | Gas Well | P | 14 | 15 | S | 9 | E |
| 43-007-30242-00-00 | UTAH 14-64 | Gas Well | P | 14 | 15 | S | 9 | E |
| 43-015-30334-00-00 | UTAH 15-553 | Gas Well | P | 15 | 16 | S | 8 | E |
| 43-007-30416-00-00 | UTAH 17-101 | Gas Well | P | 17 | 15 | S | 10 | E |
| 43-007-30277-00-00 | UTAH 17-102 | Gas Well | P | 17 | 15 | S | 10 | E |

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpr | Twpr | Rngn | Rngd |
|--------------------|---------------|-----------|-------------|-----|------|------|------|------|
| 43-007-30255-00-00 | UTAH 24-80 | Gas Well | P | 24 | 15 | S | 9 | E |
| 43-007-30256-00-00 | UTAH 24-81 | Gas Well | P | 24 | 15 | S | 9 | E |
| 43-007-30267-00-00 | UTAH 24-86 | Gas Well | P | 24 | 15 | S | 9 | E |
| 43-007-30375-00-00 | UTAH 24-87 | Gas Well | P | 24 | 15 | S | 9 | E |
| 43-007-30227-00-00 | UTAH 2-49 | Gas Well | P | 2 | 15 | S | 9 | E |
| 43-007-30157-00-00 | UTAH 25-11-7 | Gas Well | P | 25 | 14 | S | 9 | E |
| 43-007-30399-00-00 | UTAH 25-134 | Gas Well | P | 25 | 15 | S | 9 | E |
| 43-007-30400-00-00 | UTAH 25-252 | Gas Well | P | 25 | 15 | S | 9 | E |
| 43-007-30401-00-00 | UTAH 25-253 | Gas Well | P | 25 | 15 | S | 9 | E |
| 43-007-30402-00-00 | UTAH 25-254 | Gas Well | P | 25 | 15 | S | 9 | E |
| 43-007-30600-00-00 | UTAH 25-389 | Gas Well | P | 25 | 14 | S | 8 | E |
| 43-007-30599-00-00 | UTAH 25-390 | Gas Well | P | 25 | 14 | S | 8 | E |
| 43-007-30658-00-00 | UTAH 25-391 | Gas Well | P | 25 | 14 | S | 8 | E |
| 43-007-30602-00-00 | UTAH 25-392 | Gas Well | P | 25 | 14 | S | 8 | E |
| 43-007-30206-00-00 | UTAH 25-4-33 | Gas Well | P | 25 | 14 | S | 9 | E |
| 43-015-30519-00-00 | UTAH 25-577 | Gas Well | P | 25 | 16 | S | 8 | E |
| 43-007-30156-00-00 | UTAH 25-7-6 | Gas Well | P | 25 | 14 | S | 9 | E |
| 43-007-30204-00-00 | UTAH 26-11-25 | Gas Well | P | 26 | 14 | S | 9 | E |
| 43-007-30205-00-00 | UTAH 26-1-23 | Gas Well | P | 26 | 14 | S | 9 | E |
| 43-007-30181-00-00 | UTAH 26-16-8 | Gas Well | P | 26 | 14 | S | 9 | E |
| 43-007-30446-00-00 | UTAH 26-255 | Gas Well | P | 26 | 15 | S | 9 | E |
| 43-007-30445-00-00 | UTAH 26-256 | Gas Well | P | 26 | 15 | S | 9 | E |
| 43-007-30444-00-00 | UTAH 26-257 | Gas Well | P | 26 | 15 | S | 9 | E |
| 43-007-30514-00-00 | UTAH 26-267 | Gas Well | P | 26 | 15 | S | 9 | E |
| 43-015-30541-00-00 | UTAH 26-580 | Gas Well | P | 26 | 16 | S | 8 | E |
| 43-015-30542-00-00 | UTAH 26-581 | Gas Well | P | 26 | 16 | S | 8 | E |
| 43-015-30544-00-00 | UTAH 26-583 | Gas Well | P | 26 | 16 | S | 8 | E |
| 43-007-30202-00-00 | UTAH 26-6-24 | Gas Well | P | 26 | 14 | S | 9 | E |
| 43-007-30395-00-00 | UTAH 27-187 | Gas Well | P | 27 | 14 | S | 9 | E |
| 43-007-30292-00-00 | UTAH 27-188 | Gas Well | P | 27 | 14 | S | 9 | E |
| 43-007-30457-00-00 | UTAH 27-268 | Gas Well | P | 27 | 15 | S | 9 | E |
| 43-007-30458-00-00 | UTAH 27-269 | Gas Well | P | 27 | 15 | S | 9 | E |
| 43-007-30712-00-00 | UTAH 27-457 | Gas Well | P | 27 | 14 | S | 8 | E |
| 43-007-30714-00-00 | UTAH 27-458 | Gas Well | P | 27 | 14 | S | 8 | E |
| 43-007-30777-00-00 | UTAH 27-520 | Gas Well | P | 27 | 14 | S | 8 | E |
| 43-015-30545-00-00 | UTAH 27-584 | Gas Well | P | 27 | 16 | S | 8 | E |
| 43-007-30193-00-00 | UTAH 27-8-29 | Gas Well | P | 27 | 14 | S | 9 | E |
| 43-007-30186-00-00 | UTAH 27-9-30 | Gas Well | P | 27 | 14 | S | 9 | E |
| 43-007-30396-00-00 | UTAH 28-189 | Gas Well | P | 28 | 14 | S | 9 | E |
| 43-007-30397-00-00 | UTAH 28-190 | Gas Well | P | 28 | 14 | S | 9 | E |
| 43-007-30293-00-00 | UTAH 28-191 | Gas Well | P | 28 | 14 | S | 9 | E |
| 43-007-30294-00-00 | UTAH 28-192 | Gas Well | P | 28 | 14 | S | 9 | E |
| 43-007-30551-00-00 | UTAH 28-320 | Gas Well | P | 28 | 15 | S | 9 | E |
| 43-007-30560-00-00 | UTAH 28-321 | Gas Well | P | 28 | 15 | S | 9 | E |
| 43-007-30405-00-00 | UTAH 29-193 | Gas Well | P | 29 | 14 | S | 9 | E |
| 43-007-30427-00-00 | UTAH 29-194 | Gas Well | P | 29 | 14 | S | 9 | E |
| 43-007-30739-00-00 | UTAH 29-339 | Gas Well | P | 29 | 15 | S | 9 | E |
| 43-007-30740-00-00 | UTAH 29-340 | Gas Well | P | 29 | 15 | S | 9 | E |
| 43-007-30741-00-00 | UTAH 29-341 | Gas Well | P | 29 | 15 | S | 9 | E |
| 43-007-30742-00-00 | UTAH 29-342 | Gas Well | P | 29 | 15 | S | 9 | E |
| 43-007-30262-00-00 | UTAH 30-125 | Gas Well | P | 30 | 14 | S | 10 | E |
| 43-007-30185-00-00 | UTAH 30-13-14 | Gas Well | P | 30 | 14 | S | 10 | E |
| 43-007-30265-00-00 | UTAH 30-195 | Gas Well | P | 30 | 14 | S | 9 | E |
| 43-007-30344-00-00 | UTAH 30-196 | Gas Well | P | 30 | 14 | S | 9 | E |

Utah Well List as of 12/26/02

| API Well Number | Well Name | Well Type | Well Status | Sec | Twpn | Twpd | Rngn | Rngd |
|--------------------|----------------------|-----------|-------------|-----|------|------|------|------|
| 43-007-30178-00-00 | UTAH 36-1-2 | Gas Well | P | 36 | 14 | S | 9 | E |
| 43-007-30341-00-00 | UTAH 36-135 | Gas Well | P | 36 | 15 | S | 9 | E |
| 43-007-30343-00-00 | UTAH 36-136 | Gas Well | P | 36 | 15 | S | 9 | E |
| 43-007-30342-00-00 | UTAH 36-137 | Gas Well | P | 36 | 15 | S | 9 | E |
| 43-007-30315-00-00 | UTAH 36-162 | Gas Well | P | 36 | 14 | S | 8 | E |
| 43-007-30316-00-00 | UTAH 36-163 | Gas Well | P | 36 | 14 | S | 8 | E |
| 43-007-30317-00-00 | UTAH 36-164 | Gas Well | P | 36 | 14 | S | 8 | E |
| 43-007-30318-00-00 | UTAH 36-165 | Gas Well | P | 36 | 14 | S | 8 | E |
| 43-007-30144-00-00 | UTAH 36-9-5 | Gas Well | P | 36 | 14 | S | 9 | E |
| 43-015-30341-00-00 | UTAH 4-280 | Gas Well | P | 4 | 16 | S | 9 | E |
| 43-015-30342-00-00 | UTAH 4-282 | Gas Well | P | 4 | 16 | S | 9 | E |
| 43-007-30384-00-00 | UTAH 5-205 | Gas Well | P | 5 | 15 | S | 9 | E |
| 43-007-30269-00-00 | UTAH 5-94 | Gas Well | P | 5 | 15 | S | 10 | E |
| 43-007-30270-00-00 | UTAH 5-95 | Gas Well | P | 5 | 15 | S | 10 | E |
| 43-007-30271-00-00 | UTAH 5-96 | Gas Well | P | 5 | 15 | S | 10 | E |
| 43-007-30217-00-00 | UTAH 6-38 | Gas Well | P | 6 | 15 | S | 10 | E |
| 43-007-30218-00-00 | UTAH 6-39 | Gas Well | P | 6 | 15 | S | 10 | E |
| 43-007-30219-00-00 | UTAH 6-40 | Gas Well | P | 6 | 15 | S | 10 | E |
| 43-007-30254-00-00 | UTAH 6-41 | Gas Well | P | 6 | 15 | S | 10 | E |
| 43-007-30235-00-00 | UTAH 7-57 | Gas Well | P | 7 | 15 | S | 10 | E |
| 43-007-30236-00-00 | UTAH 7-58 | Gas Well | P | 7 | 15 | S | 10 | E |
| 43-007-30237-00-00 | UTAH 7-59 | Gas Well | P | 7 | 15 | S | 10 | E |
| 43-007-30238-00-00 | UTAH 7-60 | Gas Well | P | 7 | 15 | S | 10 | E |
| 43-007-30275-00-00 | UTAH 8-100 | Gas Well | P | 8 | 15 | S | 10 | E |
| 43-007-30410-00-00 | UTAH 8-230 | Gas Well | P | 8 | 15 | S | 9 | E |
| 43-007-30272-00-00 | UTAH 8-97 | Gas Well | P | 8 | 15 | S | 10 | E |
| 43-007-30285-00-00 | UTAH 8-98X | Gas Well | P | 8 | 15 | S | 10 | E |
| 43-007-30274-00-00 | UTAH 8-99 | Gas Well | P | 8 | 15 | S | 10 | E |
| 43-007-30413-00-00 | UTAH 9-228 | Gas Well | P | 9 | 15 | S | 9 | E |
| 43-007-30414-00-00 | UTAH 9-229 | Gas Well | P | 9 | 15 | S | 9 | E |
| 43-007-30279-00-00 | WILLIAMS 30-78 | Gas Well | P | 30 | 14 | S | 10 | E |
| 43-007-30481-00-00 | WOOLSTENHULME 05-266 | Gas Well | P | 5 | 15 | S | 10 | E |
| 43-015-30250-00-00 | UTAH 16-110 | Gas Well | Shut In | 16 | 16 | S | 9 | E |



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Eastern States Office
7450 Boston Boulevard
Springfield, Virginia 22153

IN REPLY REFER TO
3106.8(932.34)WF

January 16, 2003

NOTICE

| | | |
|------------------------------|---|------------------|
| ConocoPhillips Company | : | Oil & Gas Leases |
| P.O. Box 7500 | : | |
| Bartlesville, Oklahoma 74005 | : | |

Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to **ConocoPhillips Company** and the merger of **Conoco Incorporated** into **ConocoPhillips Company** on Federal oil and gas leases, with **ConocoPhillips Company** being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

bc: JFO, BLM State Offices, MMS, ES RF, 930 RF, ES-932;
Bforbes:wbf:01/16/03:440-1536/ConocoPhillips Co

OPERATOR CHANGE WORKSHEET

ROUTING

| |
|---------|
| 1. GLH |
| 2. CDW |
| 3. FILE |

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

X MergerThe operator of the well(s) listed below has changed, effective: **12-31-02**

| | |
|------------------------------|---------------------------------|
| FROM: (Old Operator): | TO: (New Operator): |
| PHILLIPS PETROLEUM COMPANY | CONOCOPHILLIPS COMPANY |
| Address: 980 PLAZA OFFICE | Address: P O BOX 2197, WL3 4066 |
| | |
| BARTLESVILLE, OK 74004 | HOUSTON, TX 77252 |
| Phone: 1-(918)-661-4415 | Phone: 1-(832)-486-2329 |
| Account No. N1475 | Account No. N2335 |

CA No.

Unit: **DRUNKARDS WASH**

WELL(S)

| NAME | SEC TWN RNG | API NO | ENTITY NO | LEASE TYPE | WELL TYPE | WELL STATUS |
|---------------------|----------------|--------------|--------------|---------------|--------------|----------------|
| UTAH 35-261 | 35-15S-09E | 43-007-30442 | 11256 | STATE | GW | P |
| UTAH 35-262 | 35-15S-09E | 43-007-30443 | 11256 | STATE | GW | P |
| UTAH 35-260 | 35-15S-09E | 43-007-30447 | 11256 | STATE | GW | P |
| UTAH 36-109 | 36-15S-09E | 43-007-30268 | 11256 | STATE | GW | P |
| UTAH 36-135 | 36-15S-09E | 43-007-30341 | 11256 | STATE | GW | P |
| UTAH 36-137 | 36-15S-09E | 43-007-30342 | 11256 | STATE | GW | P |
| UTAH 36-136 | 36-15S-09E | 43-007-30343 | 11256 | STATE | GW | P |
| UTAH 04-129 | 04-15S-10E | 43-007-30309 | 11256 | STATE | GW | P |
| UTAH 04-130 | 04-15S-10E | 43-007-30519 | 11256 | STATE | GW | P |
| UTAH 5-94 | 05-15S-10E | 43-007-30269 | 11256 | STATE | GW | P |
| UTAH 5-95 | 05-15S-10E | 43-007-30270 | 11256 | STATE | GW | P |
| UTAH 5-96 | 05-15S-10E | 43-007-30271 | 11256 | STATE | GW | P |
| WOOLSTENHULME 5-266 | 05-15S-10E | 43-007-30481 | 11256 | FEE | GW | P |
| UTAH 6-38 | 06-15S-10E | 43-007-30217 | 11256 | STATE | GW | P |
| UTAH 6-39 | 06-15S-10E | 43-007-30218 | 11256 | STATE | GW | P |
| UTAH 6-40 | 06-15S-10E | 43-007-30219 | 11256 | STATE | GW | P |
| UTAH 6-41 | 06-15S-10E | 43-007-30254 | 11256 | STATE | GW | P |
| UTAH 7-57 | 07-15S-10E | 43-007-30235 | 11256 | STATE | GW | P |
| UTAH 7-58 | 07-15S-10E | 43-007-30236 | 11256 | STATE | GW | P |
| UTAH 7-59 | 07-15S-10E | 43-007-30237 | 11256 | STATE | GW | P |

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/08/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/08/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 02/03/2003
- Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/14/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 01/14/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/14/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 02/11/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 02/11/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 8140-60-24

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8015-16-69

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 6196922
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining

Operator Change/Name Change Worksheet-for State use only

Effective Date: 6/1/2015

| FORMER OPERATOR: | NEW OPERATOR: |
|---|---|
| Marion Energy, Inc 1415 N Loop West, Suite 1250 Houston, TX 77008 281-540-0028 | Utah Gas Operating Solutision, LLC 1415 N Loop West, Suite 1250 Houston, TX 77008 281-540-0028 |
| CA Number(s): | Unit(s): Clear Creek |

WELL INFORMATION:

| Well Name | Sec | TWN | RNG | API | Entity | Mineral | Surface | Type | Status |
|-------------------|-----|-----|-----|-----|--------|---------|---------|------|--------|
| See Attache Listq | | | | | | | | | |

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 6/24/2015
2. Sundry or legal documentation was received from the **NEW** operator on: 6/24/2015
3. New operator Division of Corporations Business Number: 9345770-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD on: N/A
3. Reports current for Production/Disposition & Sundries: 6/25/2015
4. OPS/SI/TA well(s) reviewed for full cost bonding: 6/25/2015
5. UIC5 on all disposal/injection/storage well(s) approved on: 7/8/2015
6. Surface Facility(s) included in operator change: Clear Creek Tank Battery
7. Inspections of PA state/fee well sites complete on (only upon operators request): 6/25/2015

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: SU46335
2. Indian well(s) covered by Bond Number: N/A
3. State/fee well(s) covered by Bond Number(s): SU46334 and SU46341

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 7/9/2015
2. Entity Number(s) updated in **OGIS** on: 7/9/2015
3. Unit(s) operator number update in **OGIS** on: 7/9/2015
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: 7/9/2015
6. Surface Facilities update in **RBDMS** on: 7/9/2015

LEASE INTEREST OWNER NOTIFICATION:

1. The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 7/9/2015

COMMENTS:

Marion Energy, Inc to
Utah Gas Operating Solutions, LLC
Effective 6/1/2015

| Well Name | Sec | TWN | RNG | API | Entity | Mineral | Surface | Type | Status | Unit |
|--------------------------|-----|------|------|------------|--------|---------|---------|------|--------|-------------|
| ALPINE SCHOOL DIST 3-17 | 17 | 130S | 070E | 4300731182 | 2550 | State | Fee | WD | A | CLEAR CREEK |
| RIDGE RUNNER 8-19 | 20 | 140S | 070E | 4301530682 | 2550 | Federal | Federal | GW | OPS | CLEAR CREEK |
| RIDGE RUNNER 2-18 | 17 | 140S | 070E | 4301530683 | 16130 | Federal | Federal | GW | OPS | CLEAR CREEK |
| UTAH FUEL 10 | 5 | 140S | 070E | 4300716016 | 2550 | Fee | Fee | GW | P | CLEAR CREEK |
| RIDGE RUNNER 13-17 | 17 | 140S | 070E | 4301530269 | 2550 | Federal | Federal | GW | P | CLEAR CREEK |
| UTAH FUEL 1 | 5 | 140S | 070E | 4300716009 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 2 | 32 | 130S | 070E | 4300716010 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 3 | 32 | 130S | 070E | 4300716011 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 4 | 30 | 130S | 070E | 4300716012 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 5 | 31 | 130S | 070E | 4300716013 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH MINERAL STATE | 29 | 130S | 070E | 4300730102 | 2550 | State | Fee | GW | PA | CLEAR CREEK |
| BALLPARK CYN 17-2 | 16 | 130S | 100E | 4300731169 | 15494 | Fee | Fee | D | PA | |
| KENILWORTH RAILROAD 15-4 | 16 | 130S | 100E | 4300731170 | 15495 | Federal | Fee | D | PA | |
| BALLPARK CYN 16-2 | 16 | 130S | 100E | 4300731171 | 15434 | Fee | Fee | D | PA | |
| CORDINGLY CYN 10-1 | 15 | 130S | 100E | 4300731173 | 15435 | Fee | Fee | D | PA | |
| BALLPARK CYN 16-2X | 16 | 130S | 100E | 4300731207 | 15496 | Fee | Fee | D | PA | |
| UTAH FUEL A-1 | 6 | 140S | 070E | 4301516021 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 8 | 19 | 130S | 070E | 4300716015 | 2550 | Fee | Fee | GW | S | CLEAR CREEK |
| OMAN 2-20 | 20 | 130S | 070E | 4300730289 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| KENILWORTH RR #1 | 16 | 130S | 100E | 4300731006 | 14624 | Fee | Fee | GW | S | |
| KENILWORTH RR #2 | 16 | 130S | 100E | 4300731007 | 14625 | Fee | Fee | GW | S | |
| BALLPARK CANYON #1 | 16 | 130S | 100E | 4300731015 | 15159 | Fee | Fee | GW | S | |
| CORDINGLY CYN 15-2 | 15 | 130S | 100E | 4300731064 | 15160 | State | Fee | GW | S | |
| CORDINGLY CYN 15-1 | 15 | 130S | 100E | 4300731065 | 15161 | State | Fee | GW | S | |
| CORDINGLY CYN 11-1 | 11 | 130S | 100E | 4300731070 | 15432 | Fee | Fee | GW | S | |
| CORDINGLY CYN 15-5 | 15 | 130S | 100E | 4300731167 | 15433 | State | Fee | GW | S | |
| KENILWORTH RAILROAD 15-3 | 16 | 130S | 100E | 4300731168 | 16041 | Federal | Fee | GW | S | |
| ALPINE SCHOOL DIST 6-17 | 17 | 130S | 070E | 4300731181 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| OMAN 10-29 | 29 | 130S | 070E | 4300731210 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| KENILWORTH RR 1-A | 16 | 130S | 100E | 4300731229 | 16456 | Fee | Fee | GW | S | |
| RIDGE RUNNER 11-20 | 20 | 140S | 070E | 4301530271 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 1-30 | 20 | 140S | 070E | 4301530680 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 2-19 | 17 | 140S | 070E | 4301530684 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 11-17 | 17 | 140S | 070E | 4301530685 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-1257

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
Clear Creek

8. WELL NAME and NUMBER:

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL ☐ GAS WELL ☐ OTHER Compressor

2. NAME OF OPERATOR:
Utah Gas Operating Solutions, LLC

3. ADDRESS OF OPERATOR:
1415 North Loop West, STE CITY Houston STATE TX ZIP 77008

PHONE NUMBER:
(281) 540-0028

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY: **Carbon**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **NWNW 33 13S 7E**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2015</u> | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input checked="" type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please accept this as notice that as of June 1st, 2015, Marion Energy, Inc. is resigning as the operator of the "Clear Creek Compressor Station" and assigning Utah Gas Operating Solutions, LLC. as the successor of operator. This is in conjunction with Utah Gas Operating Solutions, LLC bond number 5040334.
"Clear Creek Compressor Station"
Sec 33 13S 7E NWNW

Marion Energy, Inc.

Signature: *[Signature]*

Date: 6/1/15

Name: Douglas Flanner

Title: VP

Utah Gas Operating Solutions, LLC.

Signature: *[Signature]*

Date: 6-15-2015

Name: PATRICK W. MERRITT

Title: AGENT-LIMITED ATTORNEY IN FACT

NAME (PLEASE PRINT) PATRICK W. MERRITT

TITLE AGENT-LIMITED ATTORNEY IN FACT

SIGNATURE *[Signature]*

DATE 6-15-2015

(This space for State use only)

APPROVED

JUL 09 2015

DIV. OIL GAS & MINING
BY: Rachel Medina

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-1257

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
Clear Creek Unit

8. WELL NAME and NUMBER:

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:
Helper Field

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☒ OTHER _____

2. NAME OF OPERATOR:
Marion Energy, Inc

3. ADDRESS OF OPERATOR:
1415 N Loop W, STE 1250 CITY **Houston** STATE **TX** ZIP **77008**

PHONE NUMBER:
(281) 540-0028

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH


11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 6/1/2015 | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input checked="" type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of June 1st, 2015, Marion Energy, Inc. resigns as Operator over its former Clear Creek Unit and Helper Field assets. In conjunction with this resignation, Utah Gas Operating Solutions, LLC. will be taking over as the Successor Operator upon your approval. Please refer to all documents submitted by Utah Gas Operating Solutions, LLC. as successor unit operator and on behalf of Marion Energy, Inc. regarding this change.

Please see the attached Appendix A below for a complete well and facility list that will be transferred upon governing approval. As the Vice President of Marion Energy, Inc. I ask that you accept this letter as Marion Energy's official resignation and request to transfer operating rights to Utah Gas Operating Solutions, LLC.

Signature: 
Doug Flannery
Vice President

Date: **6/11/15**


NAME (PLEASE PRINT)

DATRICK W. MERRITT

TITLE

AGENT - CONTRACT OPERATOR

SIGNATURE



DATE

6-15-2015

(This space for State use only)

APPROVED

(5/2000)

(See Instructions on Reverse Side)

JUL 09 2015

DIV. OIL GAS & MINING

BY: **Rachel Medina**

APPENDIX A

Well List

| Well Name | Sec | TWN | RNG | API | Status |
|--------------------------|-----|------|------|------------|--------|
| ALPINE SCHOOL DIST 3-17 | 17 | 130S | 070E | 4300731182 | A |
| KENILWORTH RAILROAD 9-1 | 16 | 130S | 100E | 4300731172 | LA |
| JACOB 5-5 | 5 | 140S | 070E | 4300731190 | LA |
| JACOB 4-8 | 5 | 140S | 070E | 4300731191 | LA |
| OMAN 2-31 | 30 | 130S | 070E | 4300731246 | LA |
| OMAN 3-32 | 29 | 130S | 070E | 4300731247 | LA |
| MADSEN 11-20 | 19 | 130S | 070E | 4300731297 | LA |
| OMAN 7-19 | 19 | 130S | 070E | 4300731298 | LA |
| WOOLSEY 3-31 | 31 | 130S | 070E | 4300731305 | LA |
| OLD RAIL ROAD GRADE 17-1 | 17 | 130S | 100E | 4300731354 | LA |
| KENILWORTH WASH 18-1 | 18 | 130S | 100E | 4300731355 | LA |
| ALRAD CYN 13-1 | 13 | 130S | 100E | 4300731357 | LA |
| CORDINGLY CYN 15-6 | 15 | 130S | 100E | 4300731416 | LA |
| RIDGE RUNNER 7-20 | 20 | 140S | 070E | 4301530681 | LA |
| RIDGE RUNNER 8-19 | 20 | 140S | 070E | 4301530682 | OPS |
| RIDGE RUNNER 2-18 | 17 | 140S | 070E | 4301530683 | OPS |
| UTAH FUEL 10 | 5 | 140S | 070E | 4300716016 | P |
| RIDGE RUNNER 13-17 | 17 | 140S | 070E | 4301530269 | P |
| UTAH FUEL 1 | 5 | 140S | 070E | 4300716009 | PA |
| UTAH FUEL 2 | 32 | 130S | 070E | 4300716010 | PA |
| UTAH FUEL 3 | 32 | 130S | 070E | 4300716011 | PA |
| UTAH FUEL 4 | 30 | 130S | 070E | 4300716012 | PA |
| UTAH FUEL 5 | 31 | 130S | 070E | 4300716013 | PA |
| UTAH MINERAL STATE | 29 | 130S | 070E | 4300730102 | PA |
| BALLPARK CYN 17-2 | 16 | 130S | 100E | 4300731169 | PA |
| KENILWORTH RAILROAD 15-4 | 16 | 130S | 100E | 4300731170 | PA |
| BALLPARK CYN 16-2 | 16 | 130S | 100E | 4300731171 | PA |
| CORDINGLY CYN 10-1 | 15 | 130S | 100E | 4300731173 | PA |
| BALLPARK CYN 16-2X | 16 | 130S | 100E | 4300731207 | PA |
| UTAH FUEL A-1 | 6 | 140S | 070E | 4301516021 | PA |
| OMAN 14-20 | 29 | 130S | 070E | 4300731209 | RET |
| CORDINGLY CYN 2-1 | 2 | 130S | 100E | 4300731236 | RET |
| SWD 1 | 28 | 130S | 100E | 4300731417 | RET |
| SHIMMIN 33-1 | 33 | 120S | 110E | 4300731431 | RET |
| SEAMONS 5-8 | 8 | 130S | 070E | 4300731432 | RET |
| CRITCHLOW 29-1 | 29 | 120S | 110E | 4300731433 | RET |
| RADAKOVICH 12-5-1 | 5 | 130S | 070E | 4300731434 | RET |
| ALLRED 10-1 | 10 | 120S | 110E | 4300731435 | RET |

| | | | | | |
|--------------------------|----|------|------|------------|-----|
| RADAKOVICH 12-5 | 5 | 130S | 070E | 4300731436 | RET |
| SEAMONS 5-8-2 | 8 | 130S | 070E | 4300731437 | RET |
| WOOLSEY 3-31-1 | 31 | 130S | 070E | 4300731438 | RET |
| ALLRED 13-1 | 13 | 120S | 110E | 4300731439 | RET |
| JACOB 5-5 | 5 | 140S | 070E | 4300731513 | RET |
| UTAH FUEL 8 | 19 | 130S | 070E | 4300716015 | S |
| OMAN 2-20 | 20 | 130S | 070E | 4300730289 | S |
| KENILWORTH RR #1 | 16 | 130S | 100E | 4300731006 | S |
| KENILWORTH RR #2 | 16 | 130S | 100E | 4300731007 | S |
| BALLPARK CANYON #1 | 16 | 130S | 100E | 4300731015 | S |
| CORDINGLY CYN 15-2 | 15 | 130S | 100E | 4300731064 | S |
| CORDINGLY CYN 15-1 | 15 | 130S | 100E | 4300731065 | S |
| CORDINGLY CYN 11-1 | 11 | 130S | 100E | 4300731070 | S |
| CORDINGLY CYN 15-5 | 15 | 130S | 100E | 4300731167 | S |
| KENILWORTH RAILROAD 15-3 | 16 | 130S | 100E | 4300731168 | S |
| ALPINE SCHOOL DIST 6-17 | 17 | 130S | 070E | 4300731181 | S |
| OMAN 10-29 | 29 | 130S | 070E | 4300731210 | S |
| KENILWORTH RR 1-A | 16 | 130S | 100E | 4300731229 | S |
| RIDGE RUNNER 11-20 | 20 | 140S | 070E | 4301530271 | S |
| RIDGE RUNNER 1-30 | 20 | 140S | 070E | 4301530680 | S |
| RIDGE RUNNER 2-19 | 17 | 140S | 070E | 4301530684 | S |
| RIDGE RUNNER 11-17 | 17 | 140S | 070E | 4301530685 | S |

Facility List

| | | | |
|--------------------------------|----|-----|----|
| Clear Creek Compressor Station | 33 | 13S | 7E |
|--------------------------------|----|-----|----|